




















price list- shayanbargh company- SEP 2018

LED STREET LIGHT –DC MODEL

NO	name	Code	Description (English)	picture	price (\$)
1	SAHAND 12W SHAYAN	SH-SL-12	Street lights 12 watt LED - Sahand Model 12 watts - code SH-SL-12 - Input voltage range: 90 to 260 V - frequency: 50-60 Hz - Operating voltage: 12V - type of wire used: Fireproof - Number of LEDs: 12 LED Driver Type: Power switching Meanwell- Lens type: transparent polycarbonate that in any case is not opaque-Luminous Flux: 1200 lumens - degree of protection: IP65 Size (mm): 80 * 230 * 480 - operating temperature Range: -30 to +50° C - lifespan: 50,000 hours - angular distribution of light: 60 * 120 ° - body Material: Aluminum Covered area: 3 * 10 meter - weight 3.5 kg - application: lighting of streets, sidewalks and parks		61.13\$
2	SAHAND 24W SHAYAN	SH-SL-24	Street lights 24 watt LED - Sahand Model 24 watts - code SH-SL-24 - Input voltage range: 90 to 260 V - frequency: 50-60 Hz - Operating voltage: 12V - type of wire used: Fireproof - Number of LEDs: 24 Driver Type: Power switching brands of Meanwell - Lens type: transparent polycarbonate that in any case is not opaque- Luminous Flux: 2400 lumens - degree of protection: IP65 Size (mm): 60 * 230 * 480 - operating temperature range: -30 to +50° C - Lifespan: 50,000 hours -The light-emitting angle: 60 * 120 ° - body Material: Aluminum - Covered area: 5 x 13 meter - Weight 3.5 kg - Application: lighting of streets, sidewalks and parks		82.75\$
3	SAHAND 30W SHAYAN	SH-SL-30	Street lights 30 watt LED - Sahand Model 30 watts - code SH-SL-30 - Input voltage range: 90 to 260 V - frequency: 50-60 Hz - Operating voltage: 12V - type of wire used: Fireproof - Number of LEDs: 30 Driver Type: Power switching brands of Meanwell - Lens type: transparent polycarbonate that in any case is not opaque. Luminous Flux: 3000 lumens - degree of protection: IP65 Size (mm): 60 * 230 * 480 - operating temperature range: -30 to +50° C - Lifespan: 50,000 hours - The light-emitting angle: 60 * 120 ° - body Material: Aluminum Covered area: 5 * 13 meter - Weight 3.5 kg - application: lighting of streets, sidewalks and parks		85.5\$
4	DENA 48W SHAYAN	SH-SL-48	Street lights 48 watt LED - Dena model 48 watts - code SH-SL-48 - Input voltage range: 90 to 260 V - frequency: 50-60 Hz -Operating voltage: 12V type of wire used: Fireproof - number of LED: 48 watt Driver Type: Power switching Meanwell-Lens type: transparent polycarbonate that in any case is not opaque.- luminous flux: 4800 lumens - the degree of protection: IP65 Size (mm): 64 * 280 * 700 operating temperature range: -30 to +50° C - lifespan: 50,000 hours -The light-emitting angle: 60 * 120 ° - body Material: Aluminum -Covered area : 7 * 20 meter - Weight 8.4 kg-application: lighting of streets, sidewalks and parks		119.5\$
5	DENA 60W SHAYAN	SH-SL-60	Street lights 60 watt LED - Dena model 60 watts - SH-SL-60 - Input voltage range: 90 to 260 V - frequency: 50-60 Hz -Operating voltage: 12V type of wire used: Fireproof - number of LED: 60 Driver Type: Power switching Meanwell-Lens type: transparent polycarbonate that in any case is not opaque.- luminous flux: 6000 lumens - the degree of protection: IP65 Size (mm): 64 * 280 * 700 operating temperature range: -30 to +50° C - lifespan: 50,000 hours-The light-emitting angle: 60 * 120 ° - body Material: Aluminum -Covered area : 9 * 26 meter - Weight 8.9 kg - application: lighting of streets, sidewalks and parks		124.75\$
6	DENA 80W SHAYAN	SH-SL-80	Street lights 80 watt LED - Dena model 80 watts - SH-SL-80 - Input voltage range: 90 to 260 V - frequency: 50-60 Hz -Operating voltage: 24V type of wire used: Fireproof - number of LED: 80 Driver Type: Power switching Meanwell-Lens type: transparent polycarbonate that in any case is not opaque.- luminous flux: 8000 lumens - the degree of protection: IP65 Size (mm): 64 * 280 * 700 operating temperature range: -30 to +50° C - lifespan: 50,000 hours The light-emitting angle: 60 * 120 ° - body Material: Aluminum -Covered area : 10 * 30 meter - Weight 9 kg - application: lighting of streets, sidewalks and parks		156.25\$
7	SHAHBAZ 100W SHAYAN	SH-SL-100	Street lights 100 watt LED - Shahbaz model 100 watts - code SH-SL-100 - Input voltage range: 90 to 260 V - frequency: 50-60 Hz -Operating voltage: 24 V type of wire used: Fireproof-Number of LEDs: 100 - Driver Type: Power switching Meanwell-Lens type: transparent polycarbonate that in any case is not opaque.- luminous flux: 10000 lumens - the degree of protection: IP65 Size (mm): 64 * 280 * 700 operating temperature range: -30 to +50° C - lifespan: 50,000 hours-The light-emitting angle: 60 * 120 ° - body Material: Aluminum -Covered area : 10 * 30 meter - Weight 9 kg - application: lighting of streets, sidewalks and parks		186.38\$
8	SHAHBAZ 104W SHAYAN	SH-SL-104	Street lights 104 watt LED -Shahbaz model 104 watts - code SH-SL-104- Input voltage range: 90 to 260 V - frequency: 50-60 Hz -Operating voltage: 24 V Number of LEDs: 104 -type of wire used: Fireproof- Driver Type: Power switching Meanwell-Lens type: transparent polycarbonate that in any case is not opaque.- luminous flux: 10400 lumens - the degree of protection: IP65 Size (mm): 64 * 280 * 700 operating temperature range: -30 to +50° C - lifespan: 50,000 hours-The light-emitting angle: 60 * 120 ° - body Material: Aluminum -Covered area : 10 * 30 meter - Weight 9 kg - application: lighting of streets, sidewalks and parks		187.5\$
9	SAHAND 24W Tuneli SHAYAN	SH-SL-24T0	Street lights 24 watt LED -Tuneli Sahand Model 24 watts - code SH-SL-24T Input voltage range: 90 to 260 V - frequency: 50-60 Hz -Operating voltage: 12 V - Number of LEDs: 24 -type of wire used: Fireproof- Driver Type: Power switching Meanwell-Lens type: transparent polycarbonate that in any case is not opaque.- luminous flux: 2400 lumens - the degree of protection: IP65 Size (mm): 60 * 230 * 480 operating temperature range: -30 to +50° C - lifespan: 50,000 hours-The light-emitting angle: 60 * 120 ° - body Material: Aluminum -Covered area : 13 * 5 meter - Weight 3.5 kg - application: lighting of streets, sidewalks and parks		87.25\$
10	SHAHBAZ 120W SHAYAN	SH-SL-120	Street lights 120 watt LED -Shahbaz model 120 watts - code SH-SL-120 Input voltage range: 90 to 260 V - frequency: 50-60 Hz -Operating voltage: 12 V Number of LEDs: 120 -Driver Type: Power switching Meanwell type of wire used: Fireproof - Lens type: transparent polycarbonate that in any case is not opaque - Luminous flux: 12000 lumen - degree of protection: IP65 Size (mm): 70 * 310 * 720- range of operating temperature: -30 to +50° C - Lifespan: 50,000 hours - body Material: Aluminum - application: lighting of streets, sidewalks and parks		213.13\$
11	SHAHBAZ 140W SHAYAN	SH-SL-140	Street lights 140 watt LED - Shahbaz model 140 watts - code SH-SL-140 Input voltage range: 90 to 260 V - frequency: 50-60 Hz -Operating voltage: 12 V Number of LEDs: 140 -Driver Type: Power switching Meanwell type of wire used: Fireproof - Lens type: transparent polycarbonate that in any case is not opaque - Luminous flux: 14000 lumen - degree of protection: IP65 Size (mm): 70 * 310 * 720- range of operating temperature: -30 to +50° C - Lifespan: 50,000 hours - body Material: Aluminum - application: lighting of streets, sidewalks and parks		250\$
12	SHAHBAZ 150W SHAYAN	SH-SL-150	Street lights 150 watt LED - Shahbaz model 150 watts - code SH-SL-150- Input voltage range: 90 to 260 V - frequency: 50-60 Hz -Operating voltage: 12 V - Number of LEDs: 150 - Driver Type: Power switching Meanwell - type of wire used: Fireproof - Lens type: transparent polycarbonate that in any case is not opaque. Luminous flux: 15000 lumen - degree of protection: IP65 - Size (mm): 70 * 350 * 820- range of operating temperature: -30 to +50° C - Lifespan: 50,000 hours - body Material: Aluminum - application: lighting of streets, sidewalks and parks		262.5\$
13	APOLO 180W SHAYAN	SH-SL-180	Street lights 180 watt LED - Apollo Model 180 watts - code SH-SL-180- Input voltage range: 90 to 260 V - frequency: 50-60 Hz -Operating voltage: 12 V - Number of LEDs: 180 -Driver Type: Power switching Meanwell type of wire used: Fireproof - Lens type: transparent polycarbonate that in any case is not opaque. Luminous flux: 18000 lumen - degree of protection: IP65 Size (mm): 70 * 350 * 820- range of operating temperature: -30 to +50° C - Lifespan: 50,000 hours - body Material: Aluminum - application: lighting of streets, sidewalks and parks		293.8\$
14	APOLO 200W SHAYAN	SH-SL-200	Street lights 200 watt LED - Apollo Model 200 watts - code SH-SL-200 Input voltage range: 90 to 260 V - frequency: 50-60 Hz-Operating voltage: 12 V Number of LEDs: 200 -Driver Type: Power switching Meanwell - the type of wire used: Fireproof - Lens type: transparent polycarbonate which in any case is not opaque - Luminous flux: 20000 lumen - degree of protection: IP65 Size (mm): 70 * 350 * 820-range of operating temperature: -30 to +50° C - Lifespan: 50,000 hours -body Material: Aluminum - application: lighting of streets, sidewalks and parks		350\$










LED STREET LIGHT –DC MODEL

NO	name	Code	Description (English)	picture	price (\$)
15	TAFTAN 35 watt	SH-SL-L35C	LED rocket projector 35 Watt- code SH-SL-L35 C- Taftan Model Power: 35 watt -Input voltage range: 90 to 260 V frequency: 50-60 Hz- Operating voltage: 30-36 v dc degree of protection: IP65 -Luminous flux: 3500 lumen range of operating temperature: -30 to +50° C		62.5\$
16	TAFTAN 60 watt	SH-SL-L60C	LED rocket projector 60 Watt- code SH-SL-L60 C- Taftan Model Power: 60 watt -Input voltage range: 90 to 260 V frequency: 50-60 Hz- Operating voltage: 30-36 v dc degree of protection: IP65 -Luminous flux: 6000 lumen range of operating temperature: -30 to +50° C		72.5\$
17	TAFTAN 120 watt	SH-SL-L120C	LED rocket projector 120 Watt- code SH-SL-L120 C- Taftan Model Power: 120 watt -Input voltage range: 90 to 260 V frequency: 50-60 Hz- Operating voltage: 30-36 v dc degree of protection: IP65 -Luminous flux: 12000 lumen range of operating temperature: -30 to +50° C		137.5\$
18	TAFTAN 150 watt	SH-SL-L150C	LED rocket projector 150 Watt- code SH-SL-L150 C- Taftan Model Power: 150 watt -Input voltage range: 90 to 260 V frequency: 50-60 Hz- Operating voltage: 30-36 v dc degree of protection: IP65 -Luminous flux: 15000 lumen range of operating temperature: -30 to +50° C		170\$
19	TAFTAN 180 watt	SH-SL-L180C	LED rocket projector 180 Watt- code SH-SL-L180 C- Taftan Model Power: 180 watt -Input voltage range: 90 to 260 V frequency: 50-60 Hz- Operating voltage: 30-36 v dc degree of protection: IP65 -Luminous flux: 18000 lumen range of operating temperature: -30 to +50° C		182.5\$










LED STREET LIGHT –AC MODEL

NO	name	Code	Description (English)	picture	price (\$)
20	SAHAND AC 15w SHAYAN	SH-SLAC-15	LED street light 15W (AC) - Sahand model number of LED: 3 (every led is 5 watt) - without Driver - frame is All die-cast aluminum with tempered glass - degree of protection: IP65		62.13\$
21	SAHAND AC 20w SHAYAN	SH-SLAC-20	LED street light 20W (AC) - Sahand model number of LED: 4 (every led is 5 watt) - without Driver - frame is All die-cast aluminum with tempered glass - degree of protection: IP65		66.25\$
22	SAHAND AC 30w SHAYAN	SH-SLAC-30	LED street light 30W (AC) - Sahand model number of LED: 6 (every led is 5 watt) - without Driver - frame is All die-cast aluminum with tempered glass - degree of protection: IP65		73.13\$
23	DENA AC 40w SHAYAN	SH-SLAC-40	LED street light 40W (AC) - Dena model number of LED: 8 (every led is 5 watt) - without Driver - frame is All die-cast aluminum with tempered glass - degree of protection: IP65		82.75\$
24	DENA AC 60w SHAYAN	SH-SLAC-60	LED street light 60W (AC) - Dena model number of LED: 12 (every led is 5 watt) - without Driver - frame is All die-cast aluminum with tempered glass - degree of protection: IP65		100.75\$
25	DENA AC 80w SHAYAN	SH-SLAC-80	LED street light 80W (AC) - Dena model number of LED: 16 (every led is 5 watt) - without Driver - frame is All die-cast aluminum with tempered glass - degree of protection: IP65		117.25\$
26	SHAHBAZ AC 100w SHAYAN	SH-SLAC-100	LED street light 100W (AC) - Shahbaz model number of LED: 20 (every led is 5 watt) - without Driver - frame is All die-cast aluminum with tempered glass - degree of protection: IP65		146.13\$
27	SHAHBAZ AC 120w SHAYAN	SH-SLAC-120	LED street light 120W (AC) - Shahbaz model number of LED: 24 (every led is 5 watt) - without Driver - frame is All die-cast aluminum with tempered glass - degree of protection: IP65		151.7\$
28	SHAHBAZ AC 150w SHAYAN	SH-SLAC-150	LED street light 150W (AC) - Shahbaz model number of LED: 30 (every led is 5 watt) - without Driver - frame is All die-cast aluminum with tempered glass - degree of protection: IP65		209.75\$
29	APOLO AC 180w SHAYAN	SH-SLAC-180	LED street light 180W (AC) - Shahbaz model number of LED: 30 (every led is 5 watt) - without Driver - frame is All die-cast aluminum with tempered glass - degree of protection: IP65		231.88\$
30	APOLO AC 200w SHAYAN	SH-SLAC-200	LED street light 200W (AC) - Shahbaz model number of LED: 40 (every led is 5 watt) - without Driver - frame is All die-cast aluminum with tempered glass - degree of protection: IP65		248.13\$


SOLAR LED street light with (pole -Battery) - With Two days backup

NO	name	Code	Description (English)	picture	price (\$)
31	HESAM SHAYAN	SH-SLS-12	LED Solar street light 12 Watt - one side - model Hesam Grade A operating voltage: 12 V DC - with pole multi-faceted 3 meter And Basket holder for Solar panel one battery 30 AH 12 V one solar panel 40 watt one controller 10A 12 V With Two days backup		303.75\$
32	SOREN SHAYAN	SH-SLS-24	LED Solar street light 24 Watt - one side - model Soren Grade A operating voltage: 12 V DC - with pole multi-faceted 4 meter And Basket holder for Solar panel one battery 42 AH 12 V one solar panel 80 watt one controller 10A 12 V With Two days backup		393.75\$
33	SORENA SHAYAN	SH-SLS-48	LED Solar street light 48 Watt - one side - model Sorena Grade A operating voltage: 12 V DC - with pole multi-faceted 6 meter And Basket holder for Solar panel one battery 120 AH 12 V one solar panel 150 watt one controller 10A 12 V With Two days backup		690\$
34	SOROSH SHAYAN	SH-SLS-24D	LED Solar street light 24 Watt - two side - model Sorosh Grade A operating voltage: 12 V DC - with pole multi-faceted 6 meter And Basket holder for Solar panel one battery 100 AH 12 V two solar panel 80 watt one controller 10A 12 V With Two days backup		762.5\$
35	SINA SHAYAN	SH-SLS-48D	LED Solar street light 48 Watt - two side - model Sina Grade A operating voltage: 12 V DC - with pole multi-faceted 6 meter And Basket holder for Solar panel two battery 120 AH 12 V two solar panel 150 watt two controller 10A 12 V With Two days backup		1237.5\$
36	SERAJ SHAYAN	SH-SLS-60	LED Solar street light 60 Watt - one side - model Seraj Grade A operating voltage: 12 V DC - with pole multi-faceted 9 meter And Basket holder for Solar panel one battery 120 AH 12 V one solar panel 180 watt one controller 10A 12 V With Two days backup		856.25\$
37	ZOHA SHAYAN	SH-SLS-60D	LED Solar street light 60 Watt - two side - model Zoha Grade A operating voltage: 12 V DC - with pole multi-faceted 9 meter And Basket holder for Solar panel two battery 120 AH 12 V two solar panel 180 watt one controller 10A 12 V With Two days backup		1462.5\$
38	SALAR SHAYAN	SH-SLS-100	LED Solar street light 100 Watt - one side - model Salar Grade A operating voltage: 12 V DC - with pole multi-faceted 9 meter And Basket holder for Solar panel two battery 120 AH 12 V one solar panel 300 watt one controller 10A 12 V With Two days backup		1462.5\$
39	SEPANTA SHAYAN	SH-SLS-100D	LED Solar street light 100 Watt - two side - model Sepanta Grade A operating voltage: 12 V DC - with pole multi-faceted 9 meter And Basket holder for Solar panel four battery 120 AH 12 V two solar panel 300 watt two controller 10A 12 V With Two days backup		2575\$






SOLAR LED street light with (pole -Battery) - With three days backup

NO	name	Code	Description (English)	picture	price (\$)
40	HESAM SHAYAN	SH-SLS-12	LED Solar street light 12 Watt - one side - model Hesam Grade A operating voltage: 12 V DC - with pole multi-faceted 3 meter And Basket holder for Solar panel two battery 42 AH 12 V one solar panel 50 watt one controller 10A 12 V With three days backup		375\$
41	SOREN SHAYAN	SH-SLS-24	LED Solar street light 24 Watt - one side - model Soren Grade A operating voltage: 12 V DC - with pole multi-faceted 4 meter And Basket holder for Solar panel one battery 65 AH 12 V two solar panel 50 watt one controller 10A 12 V With three days backup		437.5\$
42	SORENA SHAYAN	SH-SLS-48	LED Solar street light 48 Watt - one side - model Sorena Grade A operating voltage: 12 V DC - with pole multi-faceted 6 meter And Basket holder for Solar panel one battery 150 AH 12 V one solar panel 200 watt one controller 15 A 12 V With three days backup		781.3\$
43	SOROSH SHAYAN	SH-SLS-24D	LED Solar street light 24 Watt - two side - model Sorosh Grade A operating voltage: 12 V DC - with pole multi-faceted 6 meter And Basket holder for Solar panel two battery 120 AH 12 V two solar panel 100 watt two controller 10A 12 V With three days backup		968.75\$
44	SINA SHAYAN	SH-SLS-48D	LED Solar street light 48 Watt - two side - model Sina Grade A operating voltage: 12 V DC - with pole multi-faceted 6 meter And Basket holder for Solar panel two battery 150 AH 12 V two solar panel 200 watt two controller 10A 12 V With three days backup		1437.5\$
45	SERAJ SHAYAN	SH-SLS-60	LED Solar street light 60 Watt - one side - model Seraj Grade A operating voltage: 12 V DC - with pole multi-faceted 9 meter And Basket holder for Solar panel one battery 150 AH 12 V two solar panel 120 watt one controller 10A 12 V With three days backup		950\$
46	ZOHA SHAYAN	SH-SLS-60D	LED Solar street light 60 Watt - two side - model Zoha Grade A operating voltage: 12 V DC - with pole multi-faceted 9 meter And Basket holder for Solar panel two battery 150 AH 12 V two solar panel 150 watt two controller 10A 12 V With three days backup		1525\$
47	SALAR SHAYAN	SH-SLS-100	LED Solar street light 100 Watt - one side - model Salar Grade A operating voltage: 12 V DC - with pole multi-faceted 9 meter And Basket holder for Solar panel two battery 150 AH 12 V two solar panel 200 watt one controller 10A 12 V With three days backup		1575\$
48	SEPANTA SHAYAN	SH-SLS-100D	LED Solar street light 100 Watt - two side - model Sepanta Grade A operating voltage: 12 V DC - with pole multi-faceted 9 meter And Basket holder for Solar panel four battery 150 AH 12 V four solar panel 200 watt two controller 10A 12 V With three days backup		2937.5\$






SOLAR PARK LIGHT with (pole -Battery)

NO	name	Code	Description (English)	picture	price (\$)
49	ASA SHAYAN	SH-GLS-S01	Asa Model - pole 3 meter - with a picket at height 3 meters with led street light 30watt color: Polyurethane color (black and gold) All covers is aluminum die- cast , body st37 one battery 60 AH 12 V one solar panel 60 watt one controller 10 A 12 V With one day backup		582.5\$
50		SH-GLS-S02	Asa Model - pole 3 meter - with a picket at height 3 meters with led street light 30watt color: Polyurethane color (black and gold) All covers is aluminum die- cast , body st37 one battery 60 AH 12 V one solar panel 100 watt one controller 10 A 12 V With two days backup		625\$
51		SH-GLS-S03	Asa Model - pole 3 meter - with a picket at height 3 meters with led street light 30watt color: Polyurethane color (black and gold) All covers is aluminum die- cast , body st37 one battery 100 AH 12 V one solar panel 100 watt one controller 10 A 12 V With three days backup		690\$





LED FLOOD LIGHT (LED COB)

NO	name	Code	Description (English)	picture	price (\$)
52	ALMAS 60 SHAYAN	SH-FL-60C	led flood light 60 watt - With code SH-FL-60C Voltage 110-220v - Operating voltage 36 v - LED color: white (Cold and natural) 5000 lumens, dimensions : 287 * 236 * 180 mm, 80% reduction in energy consumption LED: 64 watt COB-switching power supply		82.5\$
53	ALMAS100 SHAYAN	SH-FL-100C	led flood light 100 watt - With code SH-FL-100C Voltage 110-220v - Operating voltage 36 v - LED color: white (Cold and natural) 10000 lumens, dimensions : 360.9 * 290 * 102.8 mm, 80% reduction in energy consumption LED: 100 watt COB-switching power supply		123.75\$
54	ALMAS120 SHAYAN	SH-FL-120C	led flood light 120 watt - With code SH-FL-120C Voltage 110-220v - Operating voltage 36 v - LED color: white (Cold and natural) 12000 lumens, dimensions : 360.9 * 290 * 102.8 mm, 80% reduction in energy consumption LED: 120 watt COB-switching power supply		123.75\$
55	ALMAS180 SHAYAN	SH-FL-180	led flood light 180 watt - With code SH-FL-180C Voltage 110-220v - Operating voltage 36 v - LED color: white (Cold and natural) 18000 lumens, dimensions : 360.9 * 290 * 102.8 mm, 80% reduction in energy consumption LED: 64 watt COB-switching power supply		156.25\$
56	ALMAS200 SHAYAN	SH-FL-200	led flood light 200 watt - With code SH-FL-200C Voltage 110-220v - Operating voltage 36 v - LED color: white (Cold and natural) 20000 lumens, dimensions : 360.9 * 290 * 102.8 mm, 80% reduction in energy consumption LED: 100 watt COB-switching power supply		231.3\$







LED FLOOD LIGHT (With LED 1 watt)

NO	name	Code	Description (English)	picture	price (\$)
57	ZOMOROD 30 SHAYAN (1WATT)	SH-FL-30H	led flood light 30 watt- Code SH-FL-30H Voltage 90-260v- Operating voltage 37 to 48 V DC 3000 lumens, dimensions : 287 * 236 * 180 mm, 80% reduction in energy consumption number of LED : 30- switching power supply		82.5\$
58	ZOMOROD 60 SHAYAN (1WATT)	SH-FL-60H	led flood light 60 watt- Code SH-FL-60H Voltage 90-260v- Operating voltage 19 to 20 V DC 6000 lumens, dimensions : 287 * 236 * 180 mm, 80% reduction in energy consumption number of LED : 60- switching power supply		98.75\$
59	ZOMOROD 80 SHAYAN (1WATT)	SH-FL-80H	led flood light 80 watt- Code SH-FL-80H Voltage 90-260v- Operating voltage 25 to 32 V DC 8000 lumens, dimensions : 424 * 323.5 * 190 mm, 80% reduction in energy consumption number of LED : 80- switching power supply		143.75\$
60	ZOMOROD 100 SHAYAN (1WATT)	SH-FL-100H	led flood light 100 watt- Code SH-FL-100H Voltage 90-260v- Operating voltage 25 to 32 V DC 10000 lumens, dimensions : 424 * 323.5 * 190 mm, 80% reduction in energy consumption number of LED : 100- switching power supply		193.75\$
61	ZOMOROD 120 SHAYAN (1WATT)	SH-FL-120H	led flood light 120 watt- Code SH-FL-120H Voltage 90-260v- Operating voltage 25 to 32 V DC 12000 lumens, dimensions : 424 * 323.5 * 190 mm, 80% reduction in energy consumption number of LED : 120- switching power supply		206.25\$










LED FLOOD LIGHT RGB (Multi color projector)

NO	name	Code	Description (English)	picture	price (\$)
62	ALMAS Multicolor 30SHAYAN	SH-FLM-30	LED projector 30 Watt Multi-Color Code SH-FLM-30 Remote control COB LED WATER PROOF IP65		55\$
63	ALMAS Multicolor 60SHAYAN	SH-FLM-60	LED projector 60 Watt Multi-Color Code SH-FLM-60 Remote control COB LED WATER PROOF IP65		103.75\$
64	ALMAS Multicolor 90SHAYAN	SH-FLM-90	LED projector 90 Watt Multi-Color Code SH-FLM-90 Remote control COB LED WATER PROOF IP65		143.75\$
65	ALMAS Multicolor 120SHAYAN	SH-FLM-120	LED projector 120 Watt Multi-Color Code SH-FLM-120 Remote control COB LED WATER PROOF IP65		193.75\$



LED HIGHBAY LIGHT












NO	name	Code	Description (English)	picture	price (\$)
66	AZAR 60 SHAYAN	SH-HB-60	led highbay light 60 watt- Code SH-HB-60 Input voltage range: 90 to 260 v - frequency: 50-60 Hz Operating voltage: 36 v DC- type of wire used: Fireproof - Type of LED: 64 watt COB - switching power supply - Lens Type: Polycarbonate which in any case is not opaque. Luminous flux: 6000 lumens - degree of protection: IP65 - Size (mm): 406 * 500 - operating temperature range: -30 to +50 ° C - Lifespan: 50,000 hours - light distribution angle: 60 or 90 degrees - body Material: Aluminum - weight 4.45 kg - application: lighting for sports halls - industrial sites - Workshop		100\$
67	AZAR100 SHAYAN	SH-HB-100	led highbay light 100 watt- Code SH-HB-100 Input voltage range: 90 to 260 v - frequency: 50-60 Hz Operating voltage: 36 v DC- type of wire used: Fireproof - Type of LED: 100 watt COB - switching power supply - Lens Type: Polycarbonate which in any case is not opaque. Luminous flux: 10000 lumens - degree of protection: IP65 - Size (mm): 486 * 500 - operating temperature range: -30 to +50 ° C - Lifespan: 50,000 hours - light distribution angle: 60 or 90 degrees - body Material: Aluminum - weight 5.45 kg - application: lighting for sports halls - industrial sites - Workshop		146.25\$
68	AZAR120 SHAYAN	SH-HB-120	led highbay light 120 watt- Code SH-HB-120 Input voltage range: 90 to 260 v - frequency: 50-60 Hz Operating voltage: 36 v DC- type of wire used: Fireproof - Type of LED: 120 watt COB - switching power supply - Lens Type: Polycarbonate which in any case is not opaque. Luminous flux: 12000 lumens - degree of protection: IP65 - Size (mm): 486 * 500 - operating temperature range: -30 to +50 ° C - Lifespan: 50,000 hours - light distribution angle: 60 or 90 degrees - body Material: Aluminum - weight 5.45 kg - application: lighting for sports halls - industrial sites - Workshop		146.25\$
69	AZAR120 SHAYAN	SH-HB-120	led highbay light 120 watt- Code SH-HB-120 Input voltage range: 90 to 260 v - frequency: 50-60 Hz Operating voltage: 36 v DC- type of wire used: Fireproof - Type of LED: 120 watt COB - EXTERNAL switching power supply - Lens Type: Polycarbonate which in any case is not opaque. Luminous flux: 12000 lumens - degree of protection: IP65 - Size (mm): 486 * 500 - operating temperature range: -30 to +50 ° C - Lifespan: 50,000 hours - light distribution angle: 60 or 90 degrees - body Material: Aluminum - weight 5.45 kg - application: lighting for sports halls - industrial sites - Workshop		118.75\$
70	AZIN120 SHAYAN	SH-HB-120	led highbay light 120 watt- Code SH-HB-120 Input voltage range: 90 to 260 v - frequency: 50-60 Hz Operating voltage: 36 v DC- type of wire used: Fireproof - number of LED: 120 (every led is 1 watt) - switching power supply - Lens Type: Polycarbonate which in any case is not opaque. Luminous flux: 12000 lumens - degree of protection: IP65 - Size (mm): 486 * 500 - operating temperature range: -30 to +50 ° C - Lifespan: 50,000 hours - light distribution angle: 60 or 90 degrees - body Material: Aluminum - weight 5.45 kg - application: lighting for sports halls - industrial sites - Workshop		171.25\$
71	AZIN150 SHAYAN	SH-HB-150	led highbay light 150 watt- Code SH-HB-150 Input voltage range: 90 to 260 v - frequency: 50-60 Hz Operating voltage: 36 v DC- type of wire used: Fireproof - number of LED: 150 (every led is 1 watt) - switching power supply - Lens Type: Polycarbonate which in any case is not opaque. Luminous flux: 15000 lumens - degree of protection: IP65 - Size (mm): 486 * 500 - operating temperature range: -30 to +50 ° C - Lifespan: 50,000 hours - light distribution angle: 60 or 90 degrees - body Material: Aluminum - weight 5.45 kg - application: lighting for sports halls - industrial sites - Workshop		232.5\$







LED TUBE LIGHT- LED PANEL LIGHT- LED LAMP

NO	name	Code	Description (English)	picture	price (\$)
72	AYLA SHAYAN	SH-TL-10	LED tube light 10 w- Code SH-TL-10 Input voltage range: 90 to 260 V - frequency: 50-60 Hz - Operating voltage: 38 V DC number of LED: 60 - Luminous flux: 1200 lumens - degree of protection: ip42 - Size (mm): 26 * 600- range operating temperature: -30 to +50 ° C - Life span: 50,000 hours -light distribution angle: 120 degrees - Body Material: Aluminum - Socket type: G13- Weight: 250 g - Application: lighting offices, homes, shops, conference halls and ...		10.33\$
73	AYLA SHAYAN	SH-TL-20	LED tube light 20 w- Code SH-TL-20 Input voltage range: 90 to 260 V - frequency: 50-60 Hz - Operating voltage: 38 V DC number of LED:120 - Luminous flux: 2200 lumens - degree of protection: ip42 - Size (mm): 26 * 1200-range operating temperature: -30 to +50 ° C - Life span: 50,000 hours -light distribution angle: 120 degrees - Body Material: Aluminum - Socket type: G13 - Weight: 530 g - Application: lighting offices, homes, shops, conference halls and ...		12.25\$
74	ELENA SHAYAN	SH-FPL-16	LED tube light 16 w- Code SH-FPL-16 Input voltage range: 90 to 260 V - frequency: 50-60 Hz - Operating voltage: 38 V DC number of LED: 72 - Luminous flux: 1500 lumens - degree of protection: ip42 - Size (mm): 410 * 43*2800-range operating temperature: -25 to +55 ° C - Life span: 50,000 hours -light distribution angle: 120 degrees - Body Material: Aluminum - Socket type: 2G11 - Weight: 500 g - Application: lighting offices, homes, shops, conference halls and ...		14.13\$
75	MAH 2 SHAYAN	SH-MH-02	LED panel 36 watt number of led: 192 pcs rated power (every led) : 0.2 watts		76.25\$
76	PARSA 3-6	SH-BL-M3.6	Led lamp 3 watts Input voltage: 100 to 220 volts, Operating voltage: 12 V DC number of LED: 3 pcs holder: E27		3.29\$
77	PARSA 3-7	SH-BL-M3.6	Led lamp 3 watts Input voltage: 100 to 220 volts, number of LED: 3 pcs holders: MR16		3.29\$
78	PARSA 5-1	SH-BL-M ² .1	Led lamp 5 watts Input voltage: 100V-240V number of LED: 5 pcs Holders: E27		5.24\$
79	PARSA 8	SH-BL-M8	Led lamp 8 watts Input voltage: 100V-240V number of LED: 8 pcs Holders: E27		6.04\$
80	PARSA 1-10	SH-BL-M ¹ .1	Led lamp 10 watts Input voltage: 100V-240V number of LED: 10 pcs Holders: E27		6.56\$



Down light

NO	name	Code	Description (English)	picture	price (\$)
81	Down light 15 watt TABAN Model	SH-DL-15	Down light 15 watt- Code SH-DL-15 Input voltage range: 90-260 V- number of LED : 75 pcs rated power of each LED: 0.2 W System rated power: 15 watts System consumption power: 15 watts Type System Driver: constant current weight: 0.7 kg - Luminous Flux: 1500 lumens - Lifetime: 50,000 hours - Degree of protection: IP42, Body Material: Aluminum with electrostatic powder coating - Type of LED: SMD		36.25\$
82	Down light 25 watt TABAN Model	SH-DL-25	Down light 25 watt- Code SH-DL-25 Input voltage range: 90-260 V- number of LED : 120 pcs rated power of each LED: 0.2 W System rated power: 25 watts System consumption power: 25 watts Type System Driver: constant current weight: 1.25 kg - Luminous Flux: 2500 lumens - Lifetime: 50,000 hours - Degree of protection: IP42, Body Material: Aluminum with electrostatic powder coating - Type of LED: SMD		43.75\$



Decorative light					
NO	name	Code	Description (English)	picture	price (\$)
101	ZAGROS 30w SHAYAN	SH-GLZ-30	Power: 30 watt, luminous flux : 3000 lumens, input voltage: 110-277 , degree of protection: IP65 , Material: Aluminum, lifespan: 50,000 hours, number of LED: 30 pcs (every led is 1 watt)- switching power supply, input voltage : 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C		110.63\$
102	ZAGROS 50w SHAYAN	SH-GLZ-50	Power: 50 watt, luminous flux : 5000 lumens, input voltage: 110-277 , degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 50 pcs (every led is 1 watt)- switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C		147.5\$
103	ALBORZ 20W SHAYAN	SH-GLA-20	Power: 20 watt, luminous flux : 2000 lumens, input voltage: 110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 20 pcs (every led is 1 watt)-switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C		62.5\$
104	ALBORZ 30W SHAYAN	SH-GLA-30	Power: 30 watt, luminous flux : 3000 lumens, input voltage: 110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 30 pcs (every led is 1 watt)-switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C		70\$
105	ALBORZ 20W SHAYAN	SH-GLA-20	Power: 20 watt, luminous flux : 2000 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 20 pcs (every led is 1 watt)- switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C		58.75\$
106	ALBORZ 30W SHAYAN	SH-GLA-30	Power: 30 watt, luminous flux : 3000 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 30 pcs (every led is 1 watt)-switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C		66.25\$
107	ALBORZ 15 W SHAYAN	SH-GLA-15	Power:15 watt, luminous flux : 1500 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 15 pcs (every led is 1 watt)switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C		100\$
108	LONA 30W SHAYAN	SH-GLL-30	Power: 30 watt, luminous flux : 3000 lumens, input voltage: 110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 30 pcs (every led is 1 watt)switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C - code SH-GLL-30		100\$
109	LONA 50W SHAYAN	SH-GLL-50	Power: 50 watt, luminous flux : 5000 lumens, input voltage: 110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 50 pcs (every led is 1 watt) switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C - code SH-GLL-30		135\$
110	MAH SHAYAN	SH-MAH	diameter of 25 cm - with out lamp		6.75\$
			diameter of 30 cm with out lamp		11.38\$
			diameter of 35 cm with out lamp		13.75\$
111	DAMAVAND SHAYAN	SH-DAMAVAND	body: Aluminum, with polycarbonate bubble with out lamp		32.5\$

Decorative light					
NO	name	Code	Description (English)	picture	price (\$)
112	MAHTAB 15w SHAYAN	SH-GLM-15	Power: 15 watt, luminous flux :1500 lumens, input voltage: 110-277 , degree of protection: IP65 , Material: Aluminum, lifespan: 50,000 hours, number of LED: 15 pcs (every led is 1 watt)- switching power supply, input voltage : 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C		81.25\$
113	MAHTAB 30w SHAYAN	SH-GLM-30	Power: 30 watt, luminous flux : 3000 lumens, input voltage: 110-277 , degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 30 pcs (every led is 1 watt)- switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C		8.75\$
114	GHAMAR 15W SHAYAN	SH-GLGH-15	Power: 15 watt, luminous flux : 1500 lumens, input voltage: 110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 15 pcs (every led is 1 watt)-switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C		60\$
115	GHAMAR 30W SHAYAN	SH-GLGH-30	Power: 30 watt, luminous flux : 3000 lumens, input voltage: 110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 30 pcs (every led is 1 watt)-switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C		68.75\$
116	FANOS 15W SHAYAN	SH-GLF-15	Power: 15 watt, luminous flux : 1500 lumens, input voltage: 110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 15 pcs (every led is 1 watt)-switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C		63.75\$
117	FANOS 30W SHAYAN	SH-GLF-30	Power: 30 watt, luminous flux : 3000 lumens, input voltage: 110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 30 pcs (every led is 1 watt)-switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C		70\$


LED GARDEN LIGHT- BALUT MODEL

NO	name	Code	Description (English)	picture	price (\$)
118	BALUT SHAYAN	SH-GLBD-30	Decorative pole light - BALUT Model body: aluminum and metal - height : 3.5 meter (pipe 60 , 42 inch) Color: Black - Gold two side : Alborz model Power: 30 watt, luminous flux : 3000 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 30 pcs (every led is 1 watt) switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C- bottom of pole is Aluminum		232.5\$
119		SH-GLBD-15	Decorative pole light - BALUT Model body: aluminum and metal - height : 3.5 meter (pipe 60 , 42 inch) Color: Black - Gold two side : Alborz model Power:15 watt, luminous flux : 1500 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 15 pcs (every led is 1 watt) switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C- bottom of pole is Aluminum		202.5\$
120		SH-GLBD-30	pole light - BALUT Model height : 3.5 meter (pipe 60 , 42 inch) Color: Black - Gold two side : Alborz model Power: 30 watt, luminous flux : 3000 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 30 pcs (every led is 1 watt) switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C		210\$
121		SH-GLBD-15	pole light - BALUT Model height : 3.5 meter (pipe 60 , 42 inch) Color: Black - Gold two side : Alborz model Power:15 watt, luminous flux : 1500 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 15 pcs (every led is 1 watt) switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C		187.5\$
122		SH-GLBS-30	Decorative pole light - BALUT Model body: aluminum and metal - height : 3.5 meter (pipe 60 , 42 inch) Color: Black - Gold one side : Alborz model Power: 30 watt, luminous flux : 3000 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 30 pcs (every led is 1 watt) switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C- bottom of pole is Aluminum		160\$
123		SH-GLBS-15	Decorative pole light - BALUT Model body: aluminum and metal - height : 3.5 meter (pipe 60 , 42 inch) Color: Black - Gold one side : Alborz model Power:15 watt, luminous flux : 1500 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 15 pcs (every led is 1 watt)-switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C- bottom of pole is Aluminum		150\$
124		SH-GLBS-30	pole light - BALUT Model height : 3.5 meter (pipe 60 , 42 inch) Color: Black - Gold two side : Alborz model Power: 30 watt, luminous flux : 3000 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 30 pcs (every led is 1 watt) switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C		143.75\$
125		SH-GLBS-15	pole light - BALUT Model height : 3.5 meter (pipe 60 , 42 inch) Color: Black - Gold two side : Alborz model Power:15 watt, luminous flux : 1500 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 15 pcs (every led is 1 watt) switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C		131.25\$




LED GARDEN LIGHT- ALBORZ MODEL

NO	name	Code	Description (English)	picture	price (\$)
126	ALBORZ SHAYAN	SH-GLA-30	Decorative pole light -ALBORZ Model body: aluminum and metal - height : 3 meter - Color: Black - Gold one side : Alborz model Power: 30 watt, luminous flux : 3000 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 30 pcs (every led is 1 watt) switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C- bottom of pole is Aluminum - arm and head light is Aluminum		163.75\$
127		SH-GLA-15	Decorative pole light - ALBORZ Model body: aluminum and metal - height : 3 meter - Color: Black - Gold one side : Alborz model Power:15 watt, luminous flux : 1500 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 15 pcs (every led is 1 watt)-switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C- bottom of pole is Aluminum - arm and head light is Aluminum		152.5\$
128		SH-GLA-30	Decorative pole light -ALBORZ Model body: aluminum and metal - height : 3 meter - Color: Black - Gold one side : Alborz model Power: 30 watt, luminous flux : 3000 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 30 pcs (every led is 1 watt) switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C- pole is metal - arm and head light is Aluminum		117.5\$
129		SH-GLA-15	Decorative pole light - ALBORZ Model body: aluminum and metal - height : 3 meter - Color: Black - Gold one side : Alborz model Power:15 watt, luminous flux : 1500 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 15 pcs (every led is 1 watt)-switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C- pole is metal - arm and head light is Aluminum		101.25\$
130		SH-GLA-30	pole light -ALBORZ Model body: metal - height : 3 meter - Color: Black - Gold one side : Alborz model Power: 30 watt, luminous flux : 3000 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 30 pcs (every led is 1 watt) switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C- pole is metal - arm and head light is metal		108.75\$
131		SH-GLA-15	pole light - ALBORZ Model body: metal - height : 3 meter - Color: Black - Gold one side : Alborz model Power:15 watt, luminous flux : 1500 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 15 pcs (every led is 1 watt)-switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C- pole is metal - arm and head light is metal		95\$


LED GARDEN LIGHT- POLE (zagros model) HEAD LIGHT (alborz model)

NO	name	Code	Description (English)	picture	price (\$)
132	POLE (zagros model) HEAD LIGHT (alborz model)	SH-GLA-30	Decorative pole light -ZAGROS Model body: aluminum and metal - height : 3 meter - Color: Black - Gold one side : Alborz model Power: 30 watt, luminous flux : 3000 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 30 pcs (every led is 1 watt) switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C- bottom of pole is Aluminum - arm and head light is Aluminum		180\$
133		SH-GLA-15	Decorative pole light -ZAGROS Model body: aluminum and metal - height : 3 meter - Color: Black - Gold one side : Alborz model Power:15 watt, luminous flux : 1500 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 15 pcs (every led is 1 watt)-switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: - 30 to +50° C- bottom of pole is Aluminum - arm and head light is Aluminum		163.75\$






LED GARDEN LIGHT- ZAGROS MODEL

NO	name	Code	Description (English)	picture	price (\$)
134	ZAGROS SHAYAN	SH-GLZ-30	Decorative pole light -ZAGROS Model body: aluminum and metal - height : 3 meter - Color: Black - Gold one side : zagros model Power: 30 watt, luminous flux : 3000 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 30 pcs (every led is 1 watt) switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C- bottom of pole is Aluminum - arm and head light is Aluminum		240\$
135		SH-GLZ-50	Decorative pole light -ZAGROS Model body: aluminum and metal - height : 3 meter - Color: Black - Gold one side : zagros model Power: 50 watt, luminous flux : 5000 lumens, input voltage: 110-277 , degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 50 pcs (every led is 1 watt)- switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C bottom of pole is Aluminum - arm and head light is Aluminum		266.25\$
136		SH-GLZ-30	Decorative pole light -ZAGROS Model body: aluminum and metal - height : 3 meter - Color: Black - Gold one side : zagros model Power: 30 watt, luminous flux : 3000 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 30 pcs (every led is 1 watt) switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C- pole is metal - - arm and head light is Aluminum		193.75\$
137		SH-GLZ-50	Decorative pole light -ZAGROS Model body: aluminum and metal - height : 3 meter - Color: Black - Gold one side : zagros model Power: 50 watt, luminous flux : 5000 lumens, input voltage: 110-277 , degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 50 pcs (every led is 1 watt)- switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C- pole is metal - arm and head light is Aluminum		220\$
138		SH-GLZ-30	Decorative pole light -ZAGROS Model body: metal - height : 3 meter - Color: Black - Gold one side : zagros model Power: 30 watt, luminous flux : 3000 lumens, input voltage:110-277, degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 30 pcs (every led is 1 watt) switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C- pole is metal - arm and head light is metal		187.5\$
139	SH-GLZ-50	Decorative pole light -ZAGROS Model body: metal - height : 3 meter - Color: Black - Gold one side : zagros model Power: 50 watt, luminous flux : 5000 lumens, input voltage: 110-277 , degree of protection: IP65, Material: Aluminum, lifespan: 50,000 hours, number of LED: 50 pcs (every led is 1 watt)- switching power supply, input voltage 36 V DC, 50 to 60 Hz, operating temperature range: -30 to +50° C- pole is metal - arm and head light is metal		212.5\$	





LED GARDEN LIGHT- SAHAR MODEL

NO	name	Code	Description (English)	picture	price (Rial)	price (\$)
140	SAHAR SHAYAN	SH-GLS	Park lights - SAHAR MODEL Color: Electro-static thickness profiles: 2mm Diameter Profile : 73 and 75 mm Covers and decorative elements are aluminum height : 90 cm with bubble (height from bottom of flange to top of bubble)		3,600,000	45\$
141		SH-GLS	Park lights - SAHAR MODEL Color: Electro-static thickness profiles: 2mm Diameter Profile : 73 and 75 mm Covers and decorative elements are aluminum height : 300 cm with bubble (height from bottom of flange to top of bubble)		5,500,000	68.75\$




LED GARDEN LIGHT- GAHAR MODEL(GRADE A)

NO	name	Code	Description (English)	picture	price (Rial)			
					3 meter one side	3 meter two side	3 meter three side	3 meter four side
142	GAHAR LALI 3 SHAYAN	SH-GLG	Decorative pole Light -Suitable for installation LED projector (with out projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 90-42 - 33 inches with thickness : 3-2 mm		3 meter one side	3 meter two side	3 meter three side	3 meter four side
					92.5\$	96.25\$	101.25\$	105\$
143	GAHAR LALI 4 SHAYAN	SH-GLG	Decorative pole Light -Suitable for installation LED projector (with out projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 90-42 - 33 inches with thickness : 3-2 mm		4 meter one side	4 meter two side	4 meter three side	4 meter four side
					98.75\$	103.75\$	107.5\$	113.75\$
144	GAHAR 5 SHAYAN	SH-GLG	Decorative pole Light -Suitable for installation LED projector (with out projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 114-90-42 inches with thickness : 3 mm		5 meter one side	5 meter two side	5 meter three side	5 meter four side
					297.5\$	300\$	306.25\$	310\$
145	GAHAR 6SHAYAN	SH-GLG	Decorative pole Light -Suitable for installation LED projector (with out projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 114-90-42 inches with thickness : 3 mm		6 meter one side	6 meter two side	6 meter three side	6 meter four side
					305\$	307.5\$	312.5\$	318.75\$
146	GAHAR 7SHAYAN	SH-GLG	Decorative pole Light -Suitable for installation LED projector (with out projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 114-90-42 inches with thickness : 3 mm		7 meter one side	7 meter two side	7 meter three side	7 meter four side
					310\$	318.75\$	321.25\$	326.25\$



LED GARDEN LIGHT- VARENA MODEL

NO	name	Code	Description (English)	picture	price (Rial)			
					3 meter one side	3 meter two side	3 meter three side	
147	VARENA SHAYAN	SH-GLV	pole Light 3 meter-Suitable for installation LED projector (with out projector) Color of steel parts: Polyurethane black Body and Baseplate : St37 -		3 meter one side	3 meter two side	3 meter three side	
					33.75\$	40\$	43.75\$	
148	VARENA SHAYAN	SH-GLV	pole Light 4 meter-Suitable for installation LED projector (with out projector) Color of steel parts: Polyurethane black Body and Baseplate : St37 -		4 meter one side	4 meter two side	4 meter three side	
					37.5\$	43.75\$	51.25\$	
149	VARENA SHAYAN	SH-GLV	pole Light 5 meter-Suitable for installation LED projector (with out projector) Color of steel parts: Polyurethane black Body and Baseplate : St37 -		5 meter one side	5 meter two side	5 meter three side	
					76.25\$	85\$	93.75\$	
150	VARENA SHAYAN	SH-GLV	pole Light 6 meter-Suitable for installation LED projector (with out projector) Color of steel parts: Polyurethane black Body and Baseplate : St37 -		6 meter one side	6 meter two side	6 meter three side	
					85\$	95\$	106.25\$	





LED GARDEN & STREET LIGHT- TAYEB MODEL

NO	name	Code	Description (English)	picture	price (Rial)			
					6 meter one side	6 meter two side	6 meter three side	6 meter four side
151	TAYEB SHAYAN	SH-GLT-6	Decorative pole Light 6 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 114-90-42 inches with thickness : 3 mm		306.25\$	307.5\$	312.5\$	318.75\$
152	TAYEB SHAYAN	SH-GLT-9	Decorative pole Light 9 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 168-141-114 inches with thickness : 3 mm		618.75\$	626.25\$	681.25\$	720\$
153	TAYEB SHAYAN	SH-GLT-10	Decorative pole Light 10 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 168-141-114 inches with thickness : 3 mm		635\$	665\$	697.5\$	725\$
154	TAYEB SHAYAN	SH-GLT-11	Decorative pole Light 11 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 168-141-114 inches with thickness : 4-3 mm		650\$	681.25\$	712.5\$	750\$
155	TAYEB SHAYAN	SH-GLT-12	Decorative pole Light 12 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 168-141-114 inches with thickness : 4-3 mm		668.75\$	697.5\$	731.25\$	766.25\$




LED GARDEN & STREET LIGHT- SHAHSAVAR MODEL

NO	name	Code	Description (English)	picture	price (Rial)			
					9 meter one side	9 meter two side	9 meter three side	9 meter four side
156	SHAHSAVAR SHAYAN	SH-GLSH-9	Decorative pole Light 9 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 219-168-114 inches with thickness : 3 mm		943.75\$	1006.25\$	1068.75\$	1131.25\$
157	SHAHSAVAR SHAYAN	SH-GLSH-10	Decorative pole Light 10 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 219-168-114 inches with thickness : 3 mm		961.25\$	1013.75\$	1083.75\$	1145\$
158	SHAHSAVAR SHAYAN	SH-GLSH-11	Decorative pole Light 11 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 219-168-114 inches with thickness : 3 mm		995\$	1045\$	1107.5\$	1167.5\$
159	SHAHSAVAR SHAYAN	SH-GLSH-12	Decorative pole Light 12 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 219-168-114 inches with thickness : 3 mm		998.75\$	1058.75\$	1131.25\$	1191.25\$





LED GARDEN & STREET LIGHT- SANDBAD MODEL

NO	name	Code	Description (English)	picture	price (Rial)			
					9 meter one side	9 meter two side	9 meter four side	
160	SANDBAD SHAYAN	SH-GLSA-9	Decorative pole Light 9 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 -					
					1097.5\$	1161.25\$	1236.25\$	
161	SANDBAD SHAYAN	SH-GLSA-10	Decorative pole Light 10 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 -					
					1113.75\$	1176.25\$	1251.25\$	
162	SANDBAD SHAYAN	SH-GLSA-11	Decorative pole Light 11 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 -					
					1131.25\$	1193.75\$	1268.75\$	
163	SANDBAD SHAYAN	SH-GLSA-12	Decorative pole Light 12 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 -					
					1155\$	1213.75\$	1292.5\$	




LED GARDEN & STREET LIGHT- TOOS MODEL

NO	name	Code	Description (English)	picture	price (Rial)			
					6 meter one side	6 meter two side		
164	TOOS SHAYAN	SH-GLTO-6	Decorative pole Light 6 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 114-90-42 inches with thickness : 3 mm					
					306.25\$	322.5\$		
165	TOOS SHAYAN	SH-GLTO-8	Decorative pole Light 8 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 168-141-114 inches with thickness : 3 mm					
					605\$	643.75\$		
166	TOOS SHAYAN	SH-GLTO-9	Decorative pole Light 9 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 168-141-114 inches with thickness : 3 mm					
					618.75\$	651.25\$		



LED GARDEN & STREET LIGHT- SHAHNAMEH MODEL

NO	name	Code	Description (English)	picture	price (Rial)			
					8 meter one side	8 meter two side	8 meter three side	8 meter four side
167	SHAHNAMEH SHAYAN	SH-GLSHA-8	Decorative pole Light 8 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 168-141-114 inches with thickness : 3 mm					
					406.25	433.12\$	463.75\$	457.5\$
168	SHAHNAMEH SHAYAN	SH-GLSHA-9	Decorative pole Light 9 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 168-141-114 inches with thickness : 3 mm					
					411.25\$	441.25\$	473.75\$	503.75\$
169	SHAHNAMEH SHAYAN	SH-GLSHA-12	Decorative pole Light 12 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 - pipe 168-141-114 inches with thickness : 3 mm					
					436.25\$	480\$	512.5\$	543.75\$
170	SHAHNAMEH TOOS SHAYAN	SH-GLSHATOS	Decorative pole Light 6 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 -					
					357.5\$	440\$	481.25\$	



LED GARDEN & STREET LIGHT- HOMA MODEL

NO	name	Code	Description (English)	picture	price (Rial)			
171	HOMA 1 SHAYAN	SH-GLHO-1	Decorative pole Light -Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 -		9 meter three side	10 meter three side	11 meter three side	12 meter three side
					773.75\$	790\$	821.25\$	835\$
172	HOMA 2 SHAYAN	SH-GLHO-2	Decorative pole Light -Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 -		9 meter three side	10 meter three side	11 meter three side	12 meter three side
					1485\$	1498.75	1516.25\$	1531.25\$
173	HOMA 3 SHAYAN	SH-GLHO-3	Decorative pole Light -Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body and Baseplate : St37 -		9 meter three side	10 meter three side	11 meter three side	12 meter three side
					1562.5\$	1577.5	1593.75\$	1607.5\$





LED GARDEN LIGHT- LAJVAR MODEL

NO	name	Code	Description (English)	picture	price (Rial)			
174	LAJVAR 2 SHAYAN	SH-GLL-2	Decorative pole Light-Suitable for installation LED street light (without projector) one side Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum		4 meter one side	5 meter one side	6 meter one side	
					103.125\$	118.75\$	132.5\$	
175	LAJVAR 2 SHAYAN	SH-GLL-2	Decorative pole Light-Suitable for installation LED street light (without projector) two side Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum		4 meter two side	5 meter two side	6 meter two side	
					107.5\$	122.5\$	137.5\$	



LED GARDEN LIGHT- PARVANEH MODEL

NO	name	Code	Description (English)	picture	price (Rial)			
176	PARVANEH SHAYAN	SH-GLP-1	Decorative pole Light-Suitable for installation LED street light (without projector) one side Color of steel parts: Polyurethane black body : St 37		4 meter one side			
					48.13\$			
177	PARVANEH SHAYAN	SH-GLP-2	Decorative pole Light-Suitable for installation LED street light (without projector) two side Color of steel parts: Polyurethane black body : St 37		4 meter two side			
					57.5\$			



LED GARDEN LIGHT- KOSAR MODEL

NO	name	Code	Description (English)	picture	price (Rial)			
178	KOSAR 1 SHAYAN	SH-GLK-1	Decorative pole Light-Suitable for installation LED street light (without projector) one side Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum body: st 37		6 meter one side	7 meter one side	9 meter one side	11 meter one side
					350\$	368.75\$	403.75\$	457.5\$
179	KOSAR 2 SHAYAN	SH-GLK-2	Decorative pole Light-Suitable for installation LED street light (without projector) two side Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum body: st 37		6 meter two side	7 meter two side	9 meter two side	11 meter two side
					366.25\$	405\$	497.5\$	548.75\$
180	KOSAR 3 SHAYAN	SH-GLK-3	pole Light-Suitable for installation LED street light (without projector) one side Color of steel parts: Polyurethane black with out Covers and Aluminum Parts body: st 37		6 meter one side	7 meter one side	9 meter one side	11 meter one side
					140\$	148.75\$	181.25\$	250\$
181	KOSAR 4 SHAYAN	SH-GLK-4	pole Light-Suitable for installation LED street light (without projector) two side Color of steel parts: Polyurethane black with out Covers and Aluminum Parts body: st 37		6 meter two side	7 meter two side	9 meter two side	11 meter two side
					160\$	176.25\$	281.25\$	327.5\$




LED GARDEN LIGHT- ABED MODEL

NO	name	Code	Description (English)	picture	price (Rial)			
					9 meter one side	9 meter two side	9 meter three side	9 meter four side
182	ABED SHAYAN	SH-GLA-9	Decorative pole Light 9 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body : St37 - pipe 219-168-114 inches with thickness : 3 mm		615\$	697.5\$	760\$	813.75\$
183	ABED SHAYAN	SH-GLA-10	Decorative pole Light 10 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body : St37 - pipe 219-168-114 inches with thickness : 3 mm		10 meter one side	10 meter two side	10 meter three side	10 meter four side
184	ABED SHAYAN	SH-GLA-11	Decorative pole Light 11 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body : St37 - pipe 219-168-114 inches with thickness : 3 mm		681.25\$	712.5\$	773.75\$	821.25\$
185	ABED SHAYAN	SH-GLA-12	Decorative pole Light 12 meter-Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body : St37 - pipe 219-168-114 inches with thickness : 3 mm		11 meter one side	11 meter two side	11 meter three side	11 meter four side
					697.5\$	727.5\$	790\$	835\$
					12 meter one side	12 meter two side	12 meter three side	12 meter four side
					712.5\$	742.5\$	805\$	851.25\$




LED GARDEN LIGHT- LALI MODEL






NO	name	Code	Description (English)	picture	price (Rial)			
					3 meter one side garden	3.5 meter one side garden	4 meter two side garden	5 meter two side garden
186	LALI SHAYAN 1	SH-GLLALI	Decorative pole Light -Suitable for installation LED garden light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body : St37 - pipe 90 inches with thickness : 2 mm		90\$	108.75\$	136.25\$	158.75\$
187	LALI SHAYAN 2	SH-GLLALI	Decorative pole Light -Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body : St37 - pipe 90 inches with thickness : 2 mm		4 meter two side street	5 meter two side street		
188	LALI SHAYAN 3	SH-GLLALI	Decorative pole Light -Suitable for installation LED street light & LED garden light(without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body : St37 - pipe 90 inches with thickness : 2 mm		133.75\$	156.25\$		
					4 meter two side street & garden	5 meter two side street & garden		
					147.5\$	171.25\$		

LED GARDEN LIGHT- MARAL MODEL



NO	name	Code	Description (English)	picture	price (Rial)			
189	MARAL SHAYAN 1	SH-GLMARAL	Decorative pole Light -Suitable for installation LED garden light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body : St37 - pipe 90 inches with thickness : 2 mm		4 meter two side garden	5 meter two side garden		
					161.25\$	183.75\$		
190	MARAL SHAYAN 2	SH-GLMARAL	Decorative pole Light -Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body : St37 - pipe 90 inches with thickness : 2 mm		4 meter two side street	5 meter two side street		
					158.75\$	181.25\$		
191	MARAL SHAYAN 3	SH-GLMARAL	Decorative pole Light -Suitable for installation LED street light & LED garden light(without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body : St37 - pipe 90 inches with thickness : 2 mm		4 meter two side street & garden	5 meter two side street & garden		
					173.75\$	196.25\$		

LED GARDEN LIGHT- GAZAL MODEL


NO	name	Code	Description (English)	picture	price (Rial)			
192	GAZAL SHAYAN 1	SH-GLGAZAL	Decorative pole Light -Suitable for installation LED garden light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body : St37 - pipe 90 inches with thickness : 2 mm		4 meter two side garden	5 meter two side garden		
					190\$	212.5\$		
193	GAZAL SHAYAN 2	SH-GLGAZAL	Decorative pole Light -Suitable for installation LED street light (without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body : St37 - pipe 90 inches with thickness : 2 mm		4 meter two side street	5 meter two side street		
					187.5\$	210\$		
194	GAZAL SHAYAN 3	SH-GLGAZAL	Decorative pole Light -Suitable for installation LED street light & LED garden light(without projector) Color of steel parts: Polyurethane black color of Aluminum parts: Electrostatic (black & gold) Covers and Decorative Parts are Aluminum - Body : St37 - pipe 90 inches with thickness : 2 mm		4 meter two side street & garden	5 meter two side street & garden		
					202.5\$	225\$		

TOWER LIGHT					
NO	name	Code	Description (English)	picture	price (\$)
201	ZOHAL SHAYAN	SH-TLG-H6	Tower light 6 meters - Multifaceted with fixed basket for 4 gas Projector 400watt or led flood light (with out projector) - Galvanized		187.5\$
			Tower light 6 meters - Multifaceted- with manually moving basket for 4 gas Projector 400 watt or led flood light (with out projector) Galvanized and manual gearbox		581.25\$
			Tower light 6 meters - Multifaceted- with electric movable basket for 4 gas Projector 400 watt or led flood light (with out projector) Galvanized - 3phase motor &gearbox (Electric motor &gearbox system)		660\$
202	NAHID SHAYAN	SH-TLG-H9	Tower light 9 meters - Multifaceted with fixed basket for 8 gas Projector 400watt or led flood light (with out projector) - Galvanized		325\$
			Tower light 9 meters - Multifaceted- with manually moving basket for 8 gas Projector 400 watt or led flood light (with out projector) Galvanized and manual gearbox		897.5\$
			Tower light 9 meters - Multifaceted- with electric movable basket for 8 gas Projector 400 watt or led flood light (with out projector) Galvanized - 3phase motor &gearbox (Electric motor &gearbox system)		1372.5\$
203	NEPTON SHAYAN	SH-TLG-H12	Tower light 12 meters - Multifaceted with fixed basket for 8 gas Projector 400watt or led flood light (with out projector) - Galvanized		375\$
			Tower light 12 meters - Multifaceted- 2 pieces 6meter- with manually moving basket for 8 gas Projector 400 watt or led flood light (with out projector) Galvanized and manual gearbox		1231.25\$
			Tower light 12 meters - Multifaceted- 3 pieces - with manually moving basket for 12 gas Projector 400 watt or led flood light (with out projector) Galvanized and manual gearbox		1318.75\$
			Tower light 12 meters - Multifaceted- 3 pieces- with electric movable basket for 12 gas Projector 400 watt or led flood light (with out projector) Galvanized - 3phase motor &gearbox (Electric motor &gearbox system)		1612.5\$
204	POLOTON SHAYAN	SH-TLG-H15	Tower light 15 meters - Multifaceted- with manually moving basket for 16 gas Projector 400 watt or led flood light (with out projector) Galvanized and manual gearbox		1800\$
			Tower light 15 meters - Multifaceted- with electric movable basket for 16 gas Projector 400 watt or led flood light (with out projector) Galvanized - 3phase motor &gearbox (Electric motor &gearbox system)		2075\$
205	ATAROD SHAYAN	SH-TLG-H18	Tower light 18 meters - Multifaceted- with electric movable basket for 16 gas Projector 400 watt or led flood light (with out projector) Galvanized - 3phase motor &gearbox (Electric motor &gearbox system)		2212.5\$
206	ESFAND SHAYAN	SH-TLG-H21	Tower light 21 meters - Multifaceted- with electric movable basket for 18 gas Projector 400 watt or led flood light (with out projector) Galvanized - 3phase motor &gearbox (Electric motor &gearbox system)		3200\$
207	MERIKH SHAYAN	SH-TLG-H25	Tower light 25 meters - Multifaceted- with electric movable basket for 24 gas Projector 400 watt or led flood light (with out projector) Galvanized - 3phase motor &gearbox (Electric motor &gearbox system)		3737.5\$
208	URANUS SHAYAN	SH-TLG-H30	Tower light 30 meters - Multifaceted- with electric movable basket for 24 gas Projector 400 watt or led flood light (with out projector) Galvanized - 3phase motor &gearbox (Electric motor &gearbox system)		4362.5\$


STADIUM TOWER LIGHT

NO	name	Code	Description (English)	picture	price (\$)
209	STADIUM TOWER LIGHT	SH-ST-01	Stadium tower light 9 meters- Multifaceted With 4 projector gas 400 watt Galvanized - with out ladder		571.25\$
210		SH-ST-02	Stadium tower light 9 meters- Multifaceted With 4 projector gas 400 watt Galvanized - with ladder		946.25\$
211		SH-ST-03	Stadium tower light 12 meters- Multifaceted With 4 projector gas 400 watt Galvanized - with out ladder		1056.25\$
212		SH-ST-04	Stadium tower light 12 meters- Multifaceted With 8 projector gas 400 watt Galvanized - with Electrical panel- with out ladder		1372.5\$
213		SH-ST-05	Stadium tower light 12 meters- Multifaceted With 8 projector gas 400 watt Galvanized - with Electrical panel- with Fixed ladders and guard		1835\$
214		SH-ST-06	Stadium tower light 15 meters- Multifaceted With 12 projector gas 400 watt Galvanized - with Electrical panel- with Fixed ladders and guard		2686.25\$
215		SH-ST-07	Stadium tower light 18 meters- Multifaceted With 12 projector 400 watt sodium vapor or helium gas Galvanized - with Electrical panel- with Fixed ladders and guard		3381.25\$

CAMERA POLE


NO	name	Code	Description (English)	picture	price		
216		SH-CT-18	camera pole 18 meters - Multifaceted - Galvanized with Anti-vibration metal parts with horizontal arm 3 meter		245\$	2243.75\$	1906.25\$
					<i>Sheet 6 mm Flange Model</i>	<i>Sheet 5 mm overlap model</i>	<i>Sheet 4 mm overlap model</i>
217		SH-CT-16	camera pole 16 meters - Multifaceted - Galvanized with horizontal arm 1.5 meter		1472.5\$	1350\$	1387.5\$
					<i>Sheet 5 mm Flange Model</i>	<i>Sheet 4 mm overlap model</i>	<i>Sheet 3 mm overlap model</i>
218		SH-CT-14	camera pole 14 meters - Multifaceted - Galvanized with U-Form arm for installation camera		1421.25\$	1287.5\$	1200\$
					<i>Sheet 5 mm Flange Model</i>	<i>Sheet 4 mm overlap model</i>	<i>Sheet 3 mm overlap model</i>
219		SH-CT-12	camera pole 12 meters - Multifaceted - Galvanized with Horizontal Arm 2 meter (45 degree)		1206.25\$	1083.75\$	981.25\$
					<i>Sheet 5 mm Flange Model</i>	<i>Sheet 4 mm overlap model</i>	<i>Sheet 3 mm overlap model</i>
220	CAMERA POLE	SH-CT-09	camera pole 9 meters - Multifaceted - Galvanized with U-Form arm for installation camera		823.75\$	760\$	690\$
					<i>Sheet 5 mm Flange Model</i>	<i>Sheet 4 mm overlap model</i>	<i>Sheet 3 mm overlap model</i>
221		SH-CT-08	camera pole 8 meters - Multifaceted - Galvanized with U-Form arm for installation camera	790\$	720\$	635\$	
				<i>Sheet 5 mm Flange Model</i>	<i>Sheet 4 mm overlap model</i>	<i>Sheet 3 mm overlap model</i>	
222		SH-CT-06	camera pole 6 meters - Multifaceted - Galvanized with U-Form arm for installation camera	395\$	357.5\$	300\$	
				<i>Sheet 5 mm</i>	<i>Sheet 4 mm</i>	<i>Sheet 3 mm</i>	
223		SH-CT-05	camera pole 5 meters - Multifaceted - Galvanized with U-Form arm for installation camera	262.5\$	246.25\$	226.25\$	
				<i>Sheet 5 mm</i>	<i>Sheet 4 mm</i>	<i>Sheet 3 mm</i>	
224		SH-CT-04	camera pole 4 meters - Multifaceted - Galvanized with U-Form arm for installation camera	165\$	148.75\$	131.25\$	
				<i>Sheet 5 mm</i>	<i>Sheet 4 mm</i>	<i>Sheet 3 mm</i>	

Flag pole (pipe)


NO	name	Code	Description (English)	picture	price (\$)
225		SH-FTP-12	Flag Tower 12 m - Galvanized - first pipe: diameter 141 - thickness 4 mm second pipe: diameter 114 - thickness 4 mm third pipe: diameter 90 - thickness 3 mm Fourth pipe: diameter 60 - thickness 3 mm (MSC) With pulley and rope (flag and Bolt with buyer)		225\$
226		SH-FTP-11	Flag Tower 11 m - Galvanized - first pipe: diameter 141 - thickness 4 mm second pipe: diameter 114 - thickness 4 mm third pipe: diameter 90 - thickness 3 mm Fourth pipe: diameter 60 - thickness 3 mm (MSC) With pulley and rope (flag and Bolt with buyer)		212.5\$
227		SH-FTP-10	Flag Tower 10 m - Galvanized - first pipe: diameter 114 - thickness 4 mm second pipe: diameter 90 - thickness 3mm third pipe: diameter 60 - thickness 3 mm (MSC) With pulley and rope (flag and Bolt with buyer)		175\$
228	Flag pole (pipe)	SH-FTP-09	Flag Tower 9 m - Galvanized - first pipe: diameter 114 - thickness 4 mm second pipe: diameter 90 - thickness 3 mm third pipe: diameter 60 - thickness 3 mm (MSC) With pulley and rope (flag and Bolt with buyer)		156.25\$
229		SH-FTP-08	Flag Tower 8 m - Galvanized - first pipe: diameter 90 - thickness 3 mm second pipe: diameter 60 - thickness 3 mm third pipe: diameter 42 - thickness 3 mm (MSC) With pulley and rope (flag and Bolt with buyer)		107.5\$
230		SH-FTP-07	Flag Tower 7 m - Galvanized - first pipe: diameter 90 - thickness 3 mm second pipe: diameter 60 - thickness 3 mm third pipe: diameter 42 - thickness 3 mm (MSC) With pulley and rope (flag and Bolt with buyer)		92.5\$
231		SH-FTP-06	Flag Tower 6 m - Galvanized - first pipe: diameter 60 - thickness 3 mm second pipe: diameter 42 - thickness 3 mm (MSC) With pulley and rope (flag and Bolt with buyer)		78.75\$
232		SH-FTP-05	Flag Tower 5 m - Galvanized - first pipe: diameter 60 - thickness 3 mm second pipe: diameter 42 - thickness 3 mm (MSC) With pulley and rope (flag and Bolt with buyer)		72.5\$



FLAG TOWER WITH Motor & Gearbox

NO	name	Code	Description (English)	picture	price (\$)
----	------	------	-----------------------	---------	------------

233	FLAG TOWER WITH Motor & Gearbox	SH-FTG-15	Flag Tower 15 m - Galvanized - Multifaceted - OVERLAP With motor & Gearbox and Electrical panel (flag with buyer)		1301.25\$
234		SH-FTG-18	Flag Tower 18 m - Galvanized - Multifaceted - OVERLAP With motor & Gearbox and Electrical panel (flag with buyer)		1887.5\$
235		SH-FTG-21	Flag Tower 21 m - Galvanized - Multifaceted - OVERLAP With motor & Gearbox and Electrical panel (flag with buyer)		2797.5\$
236		SH-FTG-25	Flag Tower 25 m - Galvanized - Multifaceted - OVERLAP With motor & Gearbox and Electrical panel (flag with buyer)		2967.5\$
237		SH-FTG-30	Flag Tower 30 m - Galvanized - Multifaceted - OVERLAP With motor & Gearbox and Electrical panel (flag with buyer)		3325\$
238		SH-FTG-40	Flag Tower 40 m - Galvanized - Multifaceted - OVERLAP With motor & Gearbox and Electrical panel (flag with buyer)		5275\$
239		SH-FTG-50	Flag Tower 50 m - Galvanized - Multifaceted - OVERLAP With motor & Gearbox and Electrical panel (flag with buyer)		9275\$
240		SH-FTG-60	Flag Tower 60 m - Galvanized - Multifaceted - OVERLAP With motor & Gearbox and Electrical panel (flag with buyer)		11837.5\$
241		SH-FTG-70	Flag Tower 70 m - Galvanized - Multifaceted - OVERLAP With motor & Gearbox and Electrical panel (flag with buyer)		15448.75\$

pole light - Multifaceted- with out (arm-cable and fuse)

NO	name	Code	Description (English)	picture	price (\$)
242	pole light - Multifaceted	SH-LP-3A	Pole light 3 meter -Multifaceted- Galvanized -One piece 3 meter- Thickness 3 mm Low diameter: 140mm Top diameter: 90 mm		58.125\$
243		SH-LP-3B	Pole light 3 meter -Multifaceted- Galvanized -One piece 3 meter- Thickness 3 mm Low diameter: 140mm Top diameter: 70 mm		52.5\$
244		SH-LP-3C	Pole light 3 meter -Multifaceted- Galvanized -One piece 3 meter- Thickness 2 mm Low diameter: 140mm Top diameter: 70 mm		36.63\$
245		SH-LP-3.5A	Pole light 3.5 meter -Multifaceted- Galvanized -One piece 3.5 meter- Thickness 3 mm Low diameter: 140mm Top diameter: 90 mm		66.56\$
246		SH-LP-3.5B	Pole light 3.5 meter -Multifaceted- Galvanized -One piece 3.5 meter- Thickness 3 mm Low diameter: 140mm Top diameter: 70 mm		61.25\$
247		SH-LP-3.5C	Pole light 3.5 meter -Multifaceted- Galvanized -One piece 3.5 meter- Thickness 2 mm Low diameter: 140mm Top diameter: 70 mm		42.5\$
248		SH-LP-4A	Pole light 4 meter -Multifaceted- Galvanized -One piece 4 meter- Thickness 3 mm Low diameter: 140mm Top diameter: 90 mm		75\$
249		SH-LP-4B	Pole light 4 meter -Multifaceted- Galvanized -One piece 4 meter- Thickness 3 mm Low diameter: 140mm Top diameter: 70 mm		70\$
250		SH-LP-4C	Pole light 4 meter -Multifaceted- Galvanized -One piece 4 meter- Thickness 2 mm Low diameter: 140mm Top diameter: 70 mm		46.88\$
251		SH-LP-5A	Pole light 5 meter -Multifaceted- Galvanized -One piece 5 meter- Thickness 3 mm Low diameter: 150mm Top diameter: 90 mm		102.5\$
252		SH-LP-5B	Pole light 5 meter -Multifaceted- Galvanized -One piece 5 meter- Thickness 3 mm Low diameter: 150mm Top diameter: 70 mm		93.75\$
253		SH-LP-5C	Pole light 5 meter -Multifaceted- Galvanized -One piece 5 meter- Thickness 2 mm Low diameter: 150mm Top diameter: 70 mm		65\$
254		SH-LP-6AT	Pole light 6 meter -Multifaceted- Galvanized -One piece 6 meter- Thickness 3 mm Low diameter: 230mm Top diameter: 110 mm		193.75\$
255		SH-LP-6A	Pole light 6 meter -Multifaceted- Galvanized -One piece 6 meter- Thickness 3 mm Low diameter: 180mm Top diameter: 90 mm		135\$
256		SH-LP-6B	Pole light 6 meter -Multifaceted- Galvanized -One piece 6 meter- Thickness 3 mm Low diameter: 160mm Top diameter: 70 mm		116.25\$
257		SH-LP-6C	Pole light 6 meter -Multifaceted- Galvanized -One piece 6 meter- Thickness 2 mm Low diameter: 150mm Top diameter: 70 mm		78.75\$
258			SH-LP-7A		Pole light 7 meter -Multifaceted- Galvanized -Two piece 6, 1.5 meter- Thickness 3 mm Low diameter: 180mm Top diameter: 90 mm


259	SH-LP-7B	Pole light 7 meter -Multifaceted- Galvanized -Two piece 6, 1.5 meter- Thickness 3 mm Low diameter: 160mm Top diameter: 70 mm		102.5\$
260	SH-LP-7C	Pole light 7 meter -Multifaceted- Galvanized -Two piece 6, 1.5 meter- Thickness 2,3 mm Low diameter: 150mm Top diameter: 70 mm		123.75\$
261	SH-LP-8A	Pole light 8 meter -Multifaceted- Galvanized -Two piece 6, 2.5 meter- Thickness 3 mm Low diameter: 200mm Top diameter: 100 mm		220\$
262	SH-LP-8B	Pole light 8 meter -Multifaceted- Galvanized -Two piece 6, 2.5 meter- Thickness 3 mm Low diameter: 180mm Top diameter: 70 mm		187.5\$
263	SH-LP-8C	Pole light 8 meter -Multifaceted- Galvanized -Two piece 6, 2.5 meter- Thickness 2,3 mm Low diameter: 160mm Top diameter: 70 mm		161.25\$
264	SH-LP-9AT	Pole light 9 meter -Multifaceted- Galvanized -Two piece 6,3.5 meter- Thickness 3 mm Low diameter: 215mm Top diameter: 107 mm		268.75\$
265	SH-LP-9A	Pole light 9 meter -Multifaceted- Galvanized -Two piece 6,3.5 meter- Thickness 3 mm Low diameter: 200mm Top diameter: 90 mm		243.75\$
266	pole light - Multifaceted SH-LP-9B1	Pole light 9 meter -Multifaceted- Galvanized -Two piece 6,3.5 meter- Thickness 3 mm Low diameter: 180mm Top diameter: 90 mm		223.75\$
267	SH-LP-9B2	Pole light 9 meter -Multifaceted- Galvanized -Two piece 6,3.5 meter- Thickness 3 mm Low diameter: 180mm Top diameter: 75 mm		212.5\$
268	SH-LP-9C	Pole light 9 meter -Multifaceted- Galvanized -Two piece 5,4.5 meter- Thickness 3,2 mm Low diameter: 180mm Top diameter: 75 mm		193.75\$
269	SH-LP-10A	Pole light 10 meter -Multifaceted- Galvanized -Two piece 6,4.5 meter- Thickness 3 mm Low diameter: 215mm Top diameter: 100 mm		288.75\$
270	SH-LP-10B	Pole light 10 meter -Multifaceted- Galvanized -Two piece 6,4.5 meter- Thickness 3 mm Low diameter: 180mm Top diameter: 80 mm		243.750\$
271	SH-LP-10.5AT	Pole light 10.5 meter -Multifaceted- Galvanized -Two piece 6,5 meter- Thickness 3 mm Low diameter: 210mm Top diameter: 105 mm		300\$
272	SH-LP-10.5B	Pole light 10.5 meter -Multifaceted- Galvanized -Two piece 6,5 meter- Thickness 3 mm Low diameter: 100mm Top diameter: 80 mm		256.25\$
273	SH-LP-11A	Pole light 11 meter -Multifaceted- Galvanized -Two piece 6,5.5 meter- Thickness 3 mm Low diameter: 215mm Top diameter: 110 mm		322.5\$
274	SH-LP-11B	Pole light 11 meter -Multifaceted- Galvanized -Two piece 6,5.5 meter- Thickness 3 mm Low diameter: 180mm Top diameter: 70 mm		255\$
275	SH-LP-12A	Pole light 12 meter -Multifaceted- Galvanized -Two piece 6,6 meter- Thickness 3 mm Low diameter: 220mm Top diameter: 110 mm		
276	SH-LP-12B	Pole light 12 meter -Multifaceted- Galvanized -Two piece 6,6 meter- Thickness 3 mm Low diameter: 200mm Top diameter: 100 mm		311.25\$
277	SH-LP-12C	Pole light 12 meter -Multifaceted- Galvanized -Two piece 6,6 meter- Thickness 3 mm Low diameter: 180mm Top diameter: 70 mm		266.25\$
278	SH-LP-13.5AT	Pole light 13.5 meter -Multifaceted- Galvanized -Three piece 6,6,2.5 meter- Thickness 4,3,3 mm Low diameter: 240mm Top diameter: 105 mm		487.5\$
279	pole light - Multifaceted SH-LP-13.5A	Pole light 13.5 meter -Multifaceted- Galvanized -Three piece 6,6,2.5 meter- Thickness 3,3,3 mm Low diameter: 240mm Top diameter: 105 mm		377.5\$
280	SH-LP-14A	Pole light 14 meter -Multifaceted- Galvanized -Three piece 6,6,3.5 meter- Thickness 4,3,3 mm Low diameter: 270mm Top diameter: 120 mm		592.5\$
281	SH-LP-14B	Pole light 14 meter -Multifaceted- Galvanized -Three piece 6,6,3.5 meter- Thickness 3,3,3 mm Low diameter: 270mm Top diameter: 120 mm		523.13\$
282	SH-LP-15A	Pole light 15 meter -Multifaceted- Galvanized -Three piece 6,6,4.5 meter- Thickness 4,3,3 mm Low diameter: 300mm Top diameter: 130 mm		678.75\$
283	SH-LP-15B	Pole light 15 meter -Multifaceted- Galvanized -Three piece 6,6,4.5 meter- Thickness 3,3,3 mm Low diameter: 300mm Top diameter: 120 mm		592.5\$

pole light - pipe- with out (arm-cable and fuse)

NO	name	Code	Description (English)	picture	price (\$)	
284	pole light - pipe	SH-LPP-2.5A	Pole light 2.5 meter- Piped- Galvanized - With two piece 1,1.5 meter Diameter pipe: 90,60 thickness: 3 mm		30\$	
285		SH-LPP-2.5B	Pole light 2.5 meter- Piped- Galvanized - With two piece 2,0.5 meter Diameter pipe: 90,60 thickness: 3 mm		28.75\$	
286		SH-LPP-2.5C	Pole light 2.5 meter- Piped- Galvanized - With two piece 2,0.5 meter Diameter pipe: 90,60 thickness: 2 mm		20.625\$	
287		SH-LPP-3A	Pole light 3 meter- Piped- Galvanized - With two piece 2,1 meter Diameter pipe: 90,60 thickness: 3 mm		33.75\$	
288		SH-LPP-3B	Pole light 3 meter- Piped- Galvanized - With two piece 2,1 meter Diameter pipe: 90,60 thickness: 3,2 mm		27.5\$	
289		SH-LPP-3C	Pole light 3 meter- Piped- Galvanized - With two piece 2,1 meter Diameter pipe: 90,60 thickness: 2 mm		23.75\$	
290		SH-LPP-4A	Pole light 4 meter- Piped- Galvanized - With two piece 2,2 meter Diameter pipe: 90,76 thickness: 3 mm		51.87\$	
291		SH-LPP-4B	Pole light 4 meter- Piped- Galvanized - With two piece 2.5 ,1.5 meter Diameter pipe: 90,60 thickness: 3 mm		45\$	
292		SH-LPP-4C	Pole light 4 meter- Piped- Galvanized - With two piece 2.5 ,1.5 meter Diameter pipe: 90,60 thickness: 2 mm		32.5\$	
293		SH-LPP-5A	Pole light 5 meter- Piped- Galvanized - With two piece 3,2 meter Diameter pipe: 114 , 90 thickness: 3 mm		82.5\$	
294		SH-LPP-5B	Pole light 5 meter- Piped- Galvanized - With two piece 3,2 meter Diameter pipe: 114,76 thickness: 3 mm		73.75\$	
295		SH-LPP-5C	Pole light 5 meter- Piped- Galvanized - With two piece 3,2 meter Diameter pipe: 90,76 thickness: 2 mm		66.25\$	
296		pole light - pipe	SH-LPP-6A	Pole light 6 meter- Piped- Galvanized - With two piece 3,3 meter Diameter pipe: 114 , 90 thickness: 3 mm		102.5\$
297			SH-LPP-6B	Pole light 6 meter- Piped- Galvanized - With two piece 3,3 meter Diameter pipe: 90,76 thickness: 3 mm		82.5\$
298	SH-LPP-6C		Pole light 6 meter- Piped- Galvanized - With two piece 3,3 meter Diameter pipe: 90,76 thickness: 3 , 2 mm		70.37\$	
299	SH-LPP-7A		Pole light 7 meter- Piped- Galvanized - With two piece 4,3 meter Diameter pipe: 114 , 90 thickness: 3 mm		116.25\$	
300	SH-LPP-7B		Pole light 7 meter- Piped- Galvanized - With three piece 2,3,2 meter Diameter pipe: 114,90,76 thickness: 3 , 3, 2 mm		99.38\$	
301	SH-LPP-7C		Pole light 7 meter- Piped- Galvanized - With three piece 2,3,2 meter Diameter pipe: 114,90,60 thickness: 3 , 2, 2 mm		83.75\$	
302	SH-LPP-8A		Pole light 8 meter- Piped- Galvanized - With three piece 3,3,2 meter Diameter pipe: 141,114 , 90 thickness: 3,3,3 mm		161.25\$	
303	SH-LPP-8B		Pole light 8 meter- Piped- Galvanized - With three piece 2,3,3 meter Diameter pipe: 141,114 , 90 thickness: 3,3,3 mm		153.75\$	
304	SH-LPP-8C		Pole light 8 meter- Piped- Galvanized - With three piece 2,3,3 meter Diameter pipe: 141,114 , 90 thickness: 3,3,2 mm		138.75\$	
305	SH-LPP-9A		Pole light 9 meter- Piped- Galvanized - With three piece 4,3,2 meter Diameter pipe: 168,141,114 thickness: 3,3,3 mm		231.25\$	
306	SH-LPP-9B		Pole light 9 meter- Piped- Galvanized - With three piece 3,3,3 meter Diameter pipe: 168,141,114 thickness: 3,3,3 mm		223.75\$	
307	SH-LPP-9C		Pole light 9 meter- Piped- Galvanized - With three piece 3,3,3 meter Diameter pipe: 141,114 , 90 thickness: 3,3,3 mm		181.25\$	

308	pole light - pipe	SH-LPP-10A	Pole light 10 meter- Piped- Galvanized - With three piece 4,3,3 meter Diameter pipe: 168,141,114 thickness: 3,3,3 mm	250\$
309		SH-LPP-10B	Pole light 10 meter- Piped- Galvanized - With three piece 3,3,4 meter Diameter pipe: 168,141,114 thickness: 3,3,3 mm	238.75\$
310		SH-LPP-10C	Pole light 10 meter- Piped- Galvanized - With three piece 3,3,4 meter Diameter pipe: 141,114,90 thickness: 3,3,3 mm	202.5\$
311		SH-LPP-11A	Pole light 11 meter- Piped- Galvanized - With four piece 3,3,3,2 meter Diameter pipe: 219,168,141,114 thickness: 4,3,3,3 mm	333.75\$
312		SH-LPP-11B	Pole light 11 meter- Piped- Galvanized - With four piece 3,3,3,2 meter Diameter pipe: 219,168,141,114 thickness: 3,3,3,3 mm	303.75\$
313		SH-LPP-11C	Pole light 11 meter- Piped- Galvanized - With four piece 3,3,3,2 meter Diameter pipe: 168,141,114,90 thickness: 3,3,3,3 mm	238.75\$
314		SH-LPP-12A	Pole light 12 meter- Piped- Galvanized - With four piece 3,3,3,2 meter Diameter pipe: 219,168,141,114 thickness: 4,3,3,3 mm	351.25\$
315		SH-LPP-12B	Pole light 12 meter- Piped- Galvanized - With four piece 3,3,3,3 meter Diameter pipe: 219,168,141,114 thickness: 3,3,3,3 mm	321.25\$
316		SH-LPP-12C	Pole light 12 meter- Piped- Galvanized - With four piece 3,3,3,3 meter Diameter pipe: 168,141,114,90 thickness: 3,3,3,3 mm	262.5\$

BRACKET FOR POLE LIGHT

NO	name	Code	Description (English)	picture	price (\$)
317	BRACKET	SH-DA-50 S	BRACKET 50 CM ONE SIDE		6.6\$
318		SH-DA-50 D	BRACKET 50 CM TWO SIDE		9.22\$
319		SH-DA-60 S	BRACKET 60 CM ONE SIDE		8.25\$
320		SH-DA-60 D	BRACKET 60 CM TWO SIDE		11\$
321		SH-DA-70 S	BRACKET 70 CM ONE SIDE		8.94\$
322		SH-DA-70 D	BRACKET 70 CM TWO SIDE		13.06\$
323		SH-DA-80 S	BRACKET 80 CM ONE SIDE		9.63\$
324		SH-DA-80 D	BRACKET 80 CM TWO SIDE		13.75\$
325		SH-DA-90 S	BRACKET 90 CM ONE SIDE		10.31\$
326		SH-DA-90 D	BRACKET 90 CM TWO SIDE		16.5\$
327		SH-DA-100 S	BRACKET 100 CM ONE SIDE		11\$
328		SH-DA-100 D	BRACKET 100 CM TWO SIDE		18.56\$
329		SH-DA-120 S	BRACKET 120 CM ONE SIDE		12.5\$
330	SH-DA-120 D	BRACKET 120 CM TWO SIDE	20\$		

Decorative Garden Light







NO	name	Code	Description (English)	picture	price (\$)
331	DARBID SHAYAN	SH-PC-001	Decorative Pole Light 3 meters With circular bubble (Lamp 40watt) (Supply lamp with buyer)		52.5\$
332	FINO SHAYAN	SH-PC-002	Decorative Pole Light 3 meters With two bubble (two Lamp 40watt) (Supply lamp with buyer)		65\$
333	GILAS SHAYAN	SH-PC-003	Decorative Pole Light 3 meters With three bubble (three Lamp 40watt) (Supply lamp with buyer)		85\$
334	KAPARI SHAYAN	SH-PC-004	Decorative Pole Light 3 meters With two circular bubble (two Lamp 40watt) (Supply lamp with buyer)		58.75\$
335	MARAN SHAYAN	SH-PC-005	Decorative Pole Light 3 meters With two circular bubble (two Lamp 40watt) (Supply lamp with buyer)		68.75\$
336	MANSAR SHAYAN	SH-PC-006	Decorative Pole Light 3 meters With two circular bubble (two Lamp 40watt) (Supply lamp with buyer)		65\$
337	NAVA SHAYAN	SH-PC-007	Decorative Pole Light 3 meters With three circular bubble (three Lamp 40watt) (Supply lamp with buyer)		80\$
338	RAMAND SHAYAN	SH-PC-008	Decorative Pole Light 3 meters With one bubble (one Lamp 40watt) (Supply lamp with buyer)		60\$
339	GHAZAL SHAYAN	SH-PC-009	Decorative Pole Light 3 meters-aluminum With one bubble (one Lamp 40watt) (Supply lamp with buyer)		87.5\$

OUTDOOR FITNESS EQUIPMENT








NO	name	Code	Description (English)	picture	price (\$)
340		SH-PS-01	Chest press device		228.75\$
341		SH-PS-02	Shoulder device		160\$
342		SH-PS-03	Muscle stretching device		58.75\$
343		SH-PS-04	Side and side thigh pendulum device		101.25\$
344		SH-PS-05	Pedal device female – footer		95\$
345		SH-PS-06	Four steering device		101.25\$
346		SH-PS-07	Foot press devic		118.75\$
347		SH-PS-08	Abdominal Machine		80\$
348		SH-PS-09	Chess Table		75\$
349		SH-PS-10	Coppersmith device		101.25\$
350		SH-PS-11	Space ski device		131.25\$
351		SH-PS-12	Machine Massager		78.75\$
352		SH-PS-13	Barfix device		77.5\$
353		SH-PS-14	Carousels suspension device		101.25\$
354		SH-PS-15	Device swinging double children		123.75\$
355		SH-PS-16	Height Stretcher- Vertical Jump		61.25\$
356		SH-PS-17	FIX RELAX device		61.25\$
357		SH-PS-18	Parallel bars device		78.75\$
358		SH-PS-19	Rider device		78.75\$

359		SH-PS-20	Shoulder Joint Healing Implement		100\$
360		SH-PS-21	Stationary bicycle device		96.25\$
361		SH-PS-22	Sailing device		160\$
362		SH-PS-23	Sitting Lift device		175\$
363		SH-PS-24	Cole sat axillary device		181.25\$
364		SH-PS-25	Shoulde device		188.75\$
365		SH-PS-26	Flexible legs device		95\$
366		SH-PS-27	Treadmill device		243.75\$
367		SH-MA-01	Out door fitness equipment Campact (5 works)		272.5\$
368		SH-MA-02	Out door fitness equipment Campact (4 works)		193.75\$
369		SH-MA-03	Out door fitness equipment Campact (4 works)		246.25\$
370		SH-MA-04	Out door fitness equipment Campact (3 works)		212.5\$






Play equipment

NO	name	Code	Description (English)	picture	price (\$)
371	Play equipment	SH-PE-01	3 meter		153.75\$
372		SH-PE-02	4 meter		188.75\$
373		SH-PE-03	for 6 person		113.75\$
374		SH-PE-04	for 2 person		96.25\$
375		SH-PE-05	for 3 person		213.75\$
376		SH-PE-06	for 2 person		171.25\$





bench MODEL

NO	name	Code	Description (English)	picture	price (\$)
377	bench	SH-NI-01	bench 1 with Various colors		113.75\$
378		SH-NI-02	bench 2with Various colors		101.25\$
379		SH-NI-03	bench 3 with Various colors		77.5\$
380		SH-NI-04	bench 4with Various colors		96.25\$
381		SH-NI-05	bench 5 with Various colors		141.25\$
382		SH-NI-06	bench 6 with Various colors		113.75\$
383		SH-NI-07	bench 7 with Various colors		86.63\$





LED DECORATIVE LIGHTING



384	MAHTAB SHAYAN	SH-WW-T1	Wall Washer lens: 45 degree polycarbonate Body Material: Aluminum with paint coating Input voltage: 220 V Operating voltage: 36 V		82.5\$	78\$	49.5\$	57.75\$
					100 cm 36 watts 24V multicolor	100 cm 36 watts 24V single color	100 cm 12 watts 24V single color	100 cm 18 watts 24V multicolor
385	OMID SHAYAN	SH-WW-T2	Wall Washer lens: 45 degree polycarbonate Body Material: Aluminum with paint coating		68.75\$	60.5\$		
					15 watts multicolor number led: 15	12 watts multicolor number led: 12		
386	Linear Flags	SH-PKH-T3	linear flags: 12 watt LED Specifications: 1 Watts with high optical gain lens: 45 degree polycarbonate Body Material: Aluminum with paint coating Input voltage: 220 V Operating voltage: 36 V		82.5\$	119.63\$		
					3 meter number led: 12 (4green-4white-4red)	6 meter number led: 24 (8green-8white-8red)		
387	Led Star light	SH-SNI-T4	Star light RGB		159.5\$	104.5\$	140.25\$	100.375\$
					8 branch iameter:200 cm number led: 240 Sohey1 model	4 branch diameter:200 cm number led: 120 Sohey2 model	8 branch diameter:120 cm number led: 160 shabahang1 model	4 branch diameter:120 cm number led:80 shabahang2 model
388	LED STRING LIGHTING	SH-RL-T6	LED String light 9 LEDs per bubble Polycarbonate Bubble		30.39\$	43.32\$	63.25\$	83.88\$
					10 meter 10 bubble	10 meter 15 bubble	15 meter 20 bubble	20 meter 30 bubble

DECORATIVE GARDEN LIGHT

NO	name	Code	Description (English)	picture	price (\$)
389	Laleh model	SH-CH-T5	Decorative Pole Light 4 meters with 5 polycarbonate bubbles for 5 lamp 18 watts (Supply lamp with buyer)		272.25\$
390	ALaleh model	SH-CH-T5	Decorative Pole Light 3.5 meters (4 lamp in body and 1 lamp in top of pole light) (Supply lamp with buyer)		129.25\$
391	Aghaghiya model	SH-CH-T5	Decorative Pole Light 3.5 meters (4 lamp in body and 1 lamp in top of pole light) (Supply lamp with buyer)		121\$
392	Helya model	SH-CH-T5	Decorative Pole Light 3.5 meters (for 2 lamp 18 watt) (Supply lamp with buyer)		118.25\$

LED TREE LIGHT

NO	name	Code	Description (English)	picture	price (\$)
393	Shahrzad Model	SH-SK-T7	LED Cherry light Height : 5 meter , Width: 3 meter Number of led : 4480 qty 32 branches , Branch length: 1 meter body diameter: 4 inches Arm diameter: 4 cm Arm length: 120 cm		1299.37\$
394	Shahriyar Model		LED Cherry light Height : 3 meter , Width: 2 meter Number of led : 1920 qty 32 branches , Branch length: 60 cm body diameter: 4 inches Arm diameter: 4 cm Arm length: 75 cm		903.375\$
395	Shahab Model		LED Cherry light Height : 170 cm , Number of led : 1440 qty 24 branches , Branch length: 60 cm body diameter: 4 inches Arm diameter: 4 cm Arm length: 75 cm		628.375\$
396	ARIYA MODEL	SH-SK-T8	LED Maple light Height : 6 meter Number of led : 4160 qty 32 branches , Branch length: 60 cm body diameter: 4 inches with out Arm		1256.75\$
397	ARIYANA MODEL		LED Maple light Height : 4 meter Number of led : 1920 qty 32 branches , Branch length: 60 cm body diameter: 4 inches with out Arm		946\$

AMVAJ LIGHT					
NO	name	Code	Description (English)	picture	price (\$)
398	AMVAJ LIGHT	SH-SK-T9	Height : 8 meters number of bubble : 201 qty body diameter: 5 inches Arm length: 60 cm (Supply lamp with buyer)		1256.75\$
399			Height : 6 meters number of bubble : 149 qty body diameter: 5 inches Arm length: 60 cm (Supply lamp with buyer)		1256.75\$
400			Height : 6 meters number of bubble : 101 qty body diameter: 5 inches Arm length: 60 cm (Supply lamp with buyer)		981.75\$
401			Height : 6 meters number of bubble : 81 qty body diameter: 4 inches Arm length: 60 cm (Supply lamp with buyer)		897.875\$

BOLT					
NO	name	Code	Description (English)	picture	price (\$)
402	BOLT		Bolt of pole 1 meter		6.25\$
403			Bolt of outdoor fitness equipment		10\$
404			Bolt of pole 3 meter		6.9\$
405			Bolt of pole 4 meter		10\$
406			Bolt of pole 6 meter		20\$
407			Bolt of pole 9 meter WITH 6 BOLT		45\$
408			Bolt of pole 9 meter WITH 4 BOLT		32.5\$
409			Bolt of pole 12 meter		42.5\$
410			Bolt of Tower light 9 meter		47.5\$
411			Bolt of Tower light 12 meter		47.5\$
412			Bolt of Tower light 15 meter		78.75\$
413			Bolt of Tower light 18 meter		102.5\$
414			Bolt of Tower light 21 meter		187.5\$
415			Bolt of Tower light 25 meter		268.75\$
416			Bolt of Tower light 30 meter		268.75\$
417			Bolt of Tower light / Tower flag 40 meter		312.5\$
418			Bolt of Tower light / Tower flag 50 meter		893.75\$
419		Bolt of Tower light / Tower flag 60 meter	1212.5\$		

SHABLON

NO	name	Code	Description (English)	picture	price (\$)
420	SHABLON		SHABLON FOR 9 METER TOWER LIGHT (with manually moving basket, with electric movable basket)		17.5\$
421			SHABLON FOR 12 METER TOWER LIGHT (with manually moving basket, with electric movable basket) SHABLON FOR 15 METER TOWER LIGHT (with manually moving basket)		25\$
422			SHABLON FOR 15 METER TOWER LIGHT (with electric movable basket) SHABLON FOR 18 METER TOWER LIGHT (with manually moving basket, with electric movable basket)		25\$
423			SHABLON FOR 21 METER TOWER LIGHT (with electric movable basket)		32.5\$
424			SHABLON FOR 25 METER TOWER LIGHT (with electric movable basket)		36.25\$
425			SHABLON FOR 30 METER TOWER LIGHT (with electric movable basket)		57.5\$
426			SHABLON FOR 40 METER TOWER LIGHT (with electric movable basket)		78.75\$
427			SHABLON FOR 50 METER TOWER LIGHT (with electric movable basket)		110\$
428			SHABLON FOR 60 METER TOWER LIGHT (with electric movable basket)		212.5\$