

# Price list of lighting products, Bronze series

June 2022



## In the name of the Creator of Light

Thank you in advance for your good attention and trust in the products of Shayan Bargh Industrial Group.

Please note the following before reading the price list:

1. An additional 9% VAT has been added to the price of all products.
2. The price of the products mentioned in this booklet is calculated and presented based on the factory door delivery (without installation).  
Obviously, the prices can also be offered taking into account the installation price.
3. All products have warranty and after-sales service. Of course, factors such as improper use, installation by non-specialists, voltage changes, natural disasters and theft are not covered by the warranty.
4. Shipping cost from the factory door to the buyer's desired location is with the buyer.
5. Due to price fluctuations, please contact the sales unit of Shayan El Berq Industrial Group to know and ensure the latest price changes of products.

## Product list



<b>DOB LED Street Lights .....</b>	<b>1</b>
<b>DOB LED Flood Lights .....</b>	<b>4</b>
<b>DOB LED Garden Lights.....</b>	<b>8</b>
<b>DOB LED High Bay Lights.....</b>	<b>10</b>

## **DOB LED Street Lights**

## DOB LED Street Lights - Ramand



<b>SH-SL-150S-R-B</b>	<b>SH-SL-100S-R-B</b>	<b>SH-SL-50S-R-B</b>	<b>Code</b>
Ramand	Ramand	Ramand	<b>Name</b>
150	100	50	<b>Pawer (w)</b>
200 – 240 / 50-60	200 – 240 / 50-60	200 – 240 / 50-60	<b>Input voltage range (V-AC/HZ)</b>
SMD LED	SMD LED	SMD LED	<b>Type of Light Source</b>
15000	10000	5000	<b>Luminous Flux (Lm)</b>
30000	30000	30000	<b>Nominal lifetime (hrs)</b>
IP66	IP66	IP66	<b>Degree of Protection</b>
Aluminum die-cast	Aluminum die-cast	Aluminum die-cast	<b>Body Material</b>
+50 ~ -20	+50 ~ -20	+50 ~ -20	<b>Degree of Protection</b>
5.5	5.5	3.15	<b>Weight (kg)</b>
490*275*75	490*275*75	385*215*75	<b>External Dimensions (mm)</b>
			<b>Picture</b>
<b>81.43</b>	<b>67.14</b>	<b>40.00</b>	<b>Price(\$)</b>

## DOB LED Street Lights - Himalaya





SH-SL-200S-H-B	SH-SL-150S-H-B	SH-SL-100S-H-B	SH-SL-50S-H-B	Code
Himalaya	Himalaya	Himalaya	Himalaya	Name
200	150	100	50	Power (w)
200 – 240 / 50-60	200 – 240 / 50-60	200 – 240 / 50-60	200 – 240 / 50-60	Input voltage range (V-AC/HZ)
SMD LED	SMD LED	SMD LED	SMD LED	Type of Light Source
20000	15000	10000	5000	Luminous Flux (Lm)
30000	30000	30000	30000	Nominal lifetime (hrs)
IP66	IP66	IP66	IP66	Degree of Protection
Aluminum die-cast	Aluminum die-cast	Aluminum die-cast	Aluminum die-cast	Body Material
+50 ~ -20	+50 ~ -20	+50 ~ -20	+50 ~ -20	Degree of Protection
9.1	8.4	4.1	4	Weight (kg)
550*385*135	550*385*135	435*245*105	435*245*105	External Dimensions (mm)
				Picture
99.64	85.71	61.43	46.07	Price(\$)

## **DOB LED Flood Lights**

## DOB LED Flood Lights - Ramand






<b>SH-FL-150S-R-B</b>	<b>SH-FL-100S-R-B</b>	<b>SH-FL-50S-R-B</b>	<b>Code</b>
Ramand	Ramand	Ramand	<b>Name</b>
150	100	50	<b>Pawer (w)</b>
200 – 240 / 50-60	200 – 240 / 50-60	200 – 240 / 50-60	<b>Input voltage range (V-AC/HZ)</b>
SMD LED	SMD LED	SMD LED	<b>Type of Light Source</b>
15000	10000	5000	<b>Luminous Flux (Lm)</b>
30000	30000	30000	<b>Nominal lifetime (hrs)</b>
IP66	IP66	IP66	<b>Degree of Protection</b>
Aluminum die-cast	Aluminum die-cast	Aluminum die-cast	<b>Body Material</b>
+50 ~ -20	+50 ~ -20	+50 ~ -20	<b>Degree of Protection</b>
5.5	5.5	3.15	<b>Weight (kg)</b>
400*275*70	400*275*70	345*220*60	<b>External Dimensions (mm)</b>
			<b>Picture</b>
<b>81.43</b>	<b>67.14</b>	<b>40.00</b>	<b>Price(\$)</b>




## DOB LED Flood Lights - Himalaya



SH-FL-400S-H-B	SH-FL-300S-H-B	SH-FL-200S-H-B	SH-FL-150S-H-B	SH-FL-100S-H-B	SH-SL-50S-H-B	Code
Himalaya	Himalaya	Himalaya	Himalaya	Himalaya	Himalaya	Name
400	300	200	150	100	50	Power (w)
200 – 240 / 50-60	200 – 240 / 50-60	200 – 240 / 50-60	200 – 240 / 50-60	200 – 240 / 50-60	200 – 240 / 50-60	Input voltage range (V-AC/HZ)
SMD LED	SMD LED	SMD LED	SMD LED	SMD LED	SMD LED	Type of Light Source
44000	33000	20000	15000	10000	5000	Luminous Flux (Lm)
30000	30000	30000	30000	30000	30000	Nominal lifetime (hrs)
IP66	IP66	IP66	IP66	IP66	IP66	Degree of Protection
Aluminum die-cast	Aluminum die-cast	Aluminum die-cast	Aluminum die-cast	Aluminum die-cast	Aluminum die-cast	Body Material
+50 ~ -20	+50 ~ -20	+50 ~ -20	+50 ~ -20	+50 ~ -20	+50 ~ -20	Degree of Protection
15.2	14.5	9.5	8.9	4.1	4	Weight (kg)
625*500*125	625*500*125	475*385*135	475*385*135	380*245*105	380*245*105	External Dimensions (mm)
						Picture
202.86	174.29	99.64	85.71	61.43	46.07	Price(\$)

## DOB LED Flood Lights - Almas



<b>SH-FL-100C-B</b>	<b>Code</b>
Almas	<b>Name</b>
100	<b>Pawer (w)</b>
200 – 240 / 50-60	<b>Input voltage range (V-AC/HZ)</b>
COB LED	<b>Type of Light Source</b>
10000	<b>Luminous Flux (Lm)</b>
30000	<b>Nominal lifetime (hrs)</b>
IP65	<b>Degree of Protection</b>
Aluminum die-cast with Integrated Mold	<b>Body Material</b>
+50 ~ -20	<b>Degree of Protection</b>
10	<b>Weight (kg)</b>
360.9*290*102.8	<b>External Dimensions (mm)</b>
	<b>Picture</b>
<b>81.43</b>	<b>Price(\$)</b>

## **DOB LED Garden Lights**

## DOB LED Garden Light - Alborz, Zagros, Paris

Price list of lighting products, Bronze series



SH-GLP2-30-B	SH-GLP1-30-B	SH-GLZ-50-B	SH-GLA2-50-B	Code
Pendant Paris	Standing Paris	Zagros	Pendant Alborz2	<b>Name</b>
30	30	50	50	<b>Pawer (w)</b>
200 – 240 / 50 - 60	200 – 240 / 50 - 60	200 – 240 / 50 - 60	200 – 240 / 50 - 60	<b>Input voltage range (V-AC/HZ)</b>
SMD LED	SMD LED	High Power LED	High Power LED	<b>Type of Light Source</b>
2700	2700	4500	4500	<b>Luminous Flux (Lm)</b>
30000	30000	30000	30000	<b>Nominal lifetime (hrs)</b>
IP66	IP65	IP65	IP65	<b>Degree of Protection</b>
Cast aluminum	Cast aluminum	Cast aluminum	Cast aluminum	<b>Body Material</b>
+50 ~ -20	+50 ~ -20	+50 ~ -20	+50 ~ -20	<b>Degree of Protection</b>
4	5	10	6.2	<b>Weight (kg)</b>
270*290	420*290	751*508	400*335	<b>External Dimensions (mm)</b>
				<b>Picture</b>
<b>46.07</b>	<b>48.93</b>	<b>58.57</b>	<b>114.29</b>	<b>Price(\$)</b>

## **DOB LED High Bay Lights**

## DOB LED High Bay Lights - Himalaya



SH-HB-200S-H-B	SH-HB-150S-H-B	SH-HB-100S-H-B	SH-HB-50S-H-B	Code
Himalaya	Himalaya	Himalaya	Himalaya	Name
200	150	100	50	Power (w)
200 – 240 / 50 - 60	200 – 240 / 50 - 60	200 – 240 / 50 - 60	200 – 240 / 50 - 60	Input voltage range (V-AC/HZ)
SMD LED	SMD LED	SMD LED	SMD LED	Type of Light Source
20000	15000	10000	5000	Luminous Flux (Lm)
30000	30000	30000	30000	Nominal lifetime (hrs)
IP66	IP66	IP66	IP66	Degree of Protection
Aluminum die-cast	Aluminum die-cast	Aluminum die-cast	Aluminum die-cast	Body Material
+50 ~ -20	+50 ~ -20	+50 ~ -20	+50 ~ -20	Degree of Protection
9.5	8.9	4.1	4	Weight (kg)
455*385*135	455*385*135	360*245*105	360*245*105	External Dimensions (mm)
				Picture
99.64	85.71	61.43	46.07	Price(\$)